

Jelly D9xp Mystery Fruit 1,000mg / 40ct bags

 Sample ID: SA-260212-76921
 Batch: MSF660
 Type: Finished Product - Ingestible
 Matrix: Edible - Gummy
 Unit Size (g): 7.29169
 Unit Volume (mL):, Density (g/mL):

 Received: 02/13/2026
 Completed: 02/20/2026

Client
 CannaHemp Consulting LLC
 11842 S Sooner Rd
 Edmond, OK 73034
 USA
 Lic. #: 01332026

Summary

Test Cannabinoids	Date Tested 02/20/2026	Status Tested
-----------------------------	----------------------------------	-------------------------

0.233 % Total Δ9-THC	0.233 % Δ9-THC	0.382 % Total Cannabinoids	Not Tested Moisture Content	Not Tested Foreign Matter	Yes Internal Standard Normalization
--------------------------------	--------------------------	--------------------------------------	---------------------------------------	-------------------------------------	---

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/unit)
CBC	0.00095	0.00284	<LOQ	<LOQ
CBCA	0.00181	0.00543	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.00242	0.0612	4.46
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.00182	ND	ND
CBDVA	0.00021	0.00063	ND	ND
CBG	0.00057	0.00172	<LOQ	<LOQ
CBGA	0.00049	0.00147	ND	ND
CBL	0.00112	0.00335	ND	ND
CBLA	0.00124	0.00371	ND	ND
CBN	0.00056	0.00169	0.00300	0.219
CBNA	0.0006	0.00181	ND	ND
CBT	0.0018	0.0054	<LOQ	<LOQ
Δ4,8-iso-THC	0.00133	0.004	ND	ND
Δ8-iso-THC	0.00133	0.004	<LOQ	<LOQ
Δ8-THC	0.00104	0.00312	0.0848	6.18
Δ8-THCV	0.00133	0.004	ND	ND
Δ9-THC	0.00076	0.00227	0.233	17.0
Δ9-THCA	0.00084	0.00251	ND	ND
Δ9-THCV	0.00069	0.00206	ND	ND
Δ9-THCVA	0.00062	0.00186	ND	ND
exo-THC	0.00133	0.004	ND	ND
Total Δ9-THC			0.233	17.0
Total			0.382	27.9

ND = Not Detected; NR = (Spike) Not Recoverable, sample matrix interference present which may affect accuracy of results; NT = Not Tested; UA = Unsuitable for Analysis; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



 Generated By: Scott Caudill
 Laboratory Manager
 Date: 02/20/2026



 Tested By: Nicholas Howard
 Scientist
 Date: 02/20/2026

 ISO/IEC 17025:2017 Accredited
 Accreditation #108651
