

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2503CWB0057.0216

Strain: Amigos Cherry Limeade 10mg MGOCHRY10_Lot02
Batch#: ; Batch Size: g
Sample Received: 03/03/2025; Report Created: 03/07/2025


Sampling: ; Environment:

Amigos Cherry Limeade 10mg MGOCHRY10_Lot02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



	0.003% Δ9 THC	ND Total CBD	NR Moisture
	10.01 mg/unit Total THC	10.01 mg/unit Total Cannabinoids	

Cannabinoids

Analyte	LOQ mg/unit	Result mg/unit	Result mg/mL
THCa	3.40	ND	ND
Δ9-THC	3.40	10.01	0.03
Δ8-THC	3.40	ND	ND
THCV	3.40	ND	ND
CBDa	3.40	ND	ND
CBD	3.40	ND	ND
CBDVa	3.40	ND	ND
CBDV	3.40	ND	ND
CBN	3.40	ND	ND
CBGa	3.40	ND	ND
CBG	3.40	ND	ND
CBC	3.40	ND	ND
Total		10.01	0.03

1 mL = 0.9988g.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017, SOP030

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505



Lindsey Contella
Certifying Scientist

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2503CWB0057.0216

Strain: Amigos Cherry Limeade 10mg MGOCHRY10_Lot02

Batch#: ; Batch Size: g

Sample Received: 03/03/2025; Report Created: 03/07/2025

Sampling: ; Environment:

Amigos Cherry Limeade 10mg MGOCHRY10_Lot02

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:





4332 SW 4TH AVENUE SUITE 1400
DAVIE, FL 33314, US
(954) 388-7666

CLASSIFICATION: HERBICIDES: FLUOREN- (F002)-HERBICIDES FOR ALL PRODUCTS
OTHER: XAAB TUBULAR FLUOREN: AND SURVEILLANCE

Type: Beverage

Production Method: 03/01 - 03/03/2025
Harvest Date: 03/03/2025
Sample Size Received: 13.0000
Tobacco Amount: 3.0000
Retail Product Size: 1.0000
Retail Sample Size: 1.0000
Batching: 1
Growth: 03/01/2025
Sampled: 03/03/2025
Completed: 03/03/2025
Sampling Method: 07

Certificate of Analysis
COMPLIANCE FOR RETAIL
Laboratory Sample ID: 0303180814-001



Mar 06, 2025 | Clearwater Biotech, LLC
Last From: 03/03/2025
Greenville, SC, 29607, US

SAFETY RESULTS

TEST	RESULT
THC	PASSED
THC-A	PASSED
THC-B	PASSED
THC-C	PASSED
THC-D	PASSED
THC-E	PASSED
THC-F	PASSED
THC-G	PASSED
THC-H	PASSED
THC-I	PASSED
THC-J	PASSED
THC-K	PASSED
THC-L	PASSED
THC-M	PASSED
THC-N	PASSED
THC-O	PASSED
THC-P	PASSED
THC-Q	PASSED
THC-R	PASSED
THC-S	PASSED
THC-T	PASSED
THC-U	PASSED
THC-V	PASSED
THC-W	PASSED
THC-X	PASSED
THC-Y	PASSED
THC-Z	PASSED

Clearwater Biotech

Pages 1 of 4

PASSED

View Certificates

03/03/2025 03:03:00
03/03/2025 03:03:00
03/03/2025 03:03:00
03/03/2025 03:03:00

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2503CWB0057.0216

Strain: Amigos Cherry Limeade 10mg MGOCHRY10_Lot02

Batch#: ; Batch Size: g

Sample Received: 03/03/2025; Report Created: 03/07/2025

Sampling: ; Environment:

Amigos Cherry Limeade 10mg MGOCHRY10_Lot02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:





Kaycha Labs

1011 NW 4TH AVENUE SUITE 400
MIAMI, FL 33136, US
(305) 360-0940

COA # 2503CWB0057.0216

Batch: 2503CWB0057.0216

Type: Beverage

Certificate of Analysis

DATE: 03/07/2025

TIME: 10:00 AM

ANALYST: J. L. L. L.

REVIEWER: J. L. L. L.

APPROVED: J. L. L. L.

Page 3 of 4

Residual Solvents

PASSED

Solvent	Yield	Grade	Actual Level	Pass/Fail	Result
Acetone	10.000	99.9%	0.000	Pass	0.000
Diethyl Ether	10.000	99.9%	0.000	Pass	0.000
Hexane	10.000	99.9%	0.000	Pass	0.000
Methanol	10.000	99.9%	0.000	Pass	0.000
Propylene Glycol	10.000	99.9%	0.000	Pass	0.000
Water	10.000	99.9%	0.000	Pass	0.000
Acetic Acid	10.000	99.9%	0.000	Pass	0.000
Formic Acid	10.000	99.9%	0.000	Pass	0.000
Benzoic Acid	10.000	99.9%	0.000	Pass	0.000
Salicylic Acid	10.000	99.9%	0.000	Pass	0.000
Ascorbic Acid	10.000	99.9%	0.000	Pass	0.000
Calcium Hydroxide	10.000	99.9%	0.000	Pass	0.000
Sodium Hydroxide	10.000	99.9%	0.000	Pass	0.000
Potassium Hydroxide	10.000	99.9%	0.000	Pass	0.000
Lithium Hydroxide	10.000	99.9%	0.000	Pass	0.000
Ammonium Hydroxide	10.000	99.9%	0.000	Pass	0.000
Hydrochloric Acid	10.000	99.9%	0.000	Pass	0.000
Sulfuric Acid	10.000	99.9%	0.000	Pass	0.000
Phosphoric Acid	10.000	99.9%	0.000	Pass	0.000
Nitric Acid	10.000	99.9%	0.000	Pass	0.000
Hydrofluoric Acid	10.000	99.9%	0.000	Pass	0.000
Boric Acid	10.000	99.9%	0.000	Pass	0.000
Silicic Acid	10.000	99.9%	0.000	Pass	0.000
Carbon Dioxide	10.000	99.9%	0.000	Pass	0.000
Oxygen	10.000	99.9%	0.000	Pass	0.000
Nitrogen	10.000	99.9%	0.000	Pass	0.000
Argon	10.000	99.9%	0.000	Pass	0.000
Helium	10.000	99.9%	0.000	Pass	0.000
Neon	10.000	99.9%	0.000	Pass	0.000
Krypton	10.000	99.9%	0.000	Pass	0.000
Xenon	10.000	99.9%	0.000	Pass	0.000
Radiation	10.000	99.9%	0.000	Pass	0.000
Temperature	10.000	99.9%	0.000	Pass	0.000
Humidity	10.000	99.9%	0.000	Pass	0.000
Pressure	10.000	99.9%	0.000	Pass	0.000
Flow Rate	10.000	99.9%	0.000	Pass	0.000
Concentration	10.000	99.9%	0.000	Pass	0.000
Viscosity	10.000	99.9%	0.000	Pass	0.000
Density	10.000	99.9%	0.000	Pass	0.000
Refractive Index	10.000	99.9%	0.000	Pass	0.000
Surface Tension	10.000	99.9%	0.000	Pass	0.000
Electrical Conductivity	10.000	99.9%	0.000	Pass	0.000
Thermal Conductivity	10.000	99.9%	0.000	Pass	0.000
Heat Capacity	10.000	99.9%	0.000	Pass	0.000
Enthalpy	10.000	99.9%	0.000	Pass	0.000
Entropy	10.000	99.9%	0.000	Pass	0.000
Free Energy	10.000	99.9%	0.000	Pass	0.000
Equilibrium Constant	10.000	99.9%	0.000	Pass	0.000
Reaction Rate	10.000	99.9%	0.000	Pass	0.000
Activation Energy	10.000	99.9%	0.000	Pass	0.000
Pre-equilibrium Constant	10.000	99.9%	0.000	Pass	0.000
Equilibrium Constant	10.000	99.9%	0.000	Pass	0.000
Reaction Order	10.000	99.9%	0.000	Pass	0.000
Rate Constant	10.000	99.9%	0.000	Pass	0.000
Half-life	10.000	99.9%	0.000	Pass	0.000
Decay Constant	10.000	99.9%	0.000	Pass	0.000
Mean Life	10.000	99.9%	0.000	Pass	0.000
Relaxation Time	10.000	99.9%	0.000	Pass	0.000
Time to Half-life	10.000	99.9%	0.000	Pass	0.000
Time to Decay	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.000	99.9%	0.000	Pass	0.000
Time to Reaction	10.000	99.9%	0.000	Pass	0.000
Time to Equilibrium	10.000	99.9%	0.000	Pass	0.000
Time to Steady State	10.000	99.9%	0.000	Pass	0.000
Time to Completion	10.				

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2503CWB0057.0216

Strain: Amigos Cherry Limeade 10mg MGOCHRY10_Lot02

Batch#: ; Batch Size: g

Sample Received: 03/03/2025; Report Created: 03/07/2025

Sampling: ; Environment:

Amigos Cherry Limeade 10mg MGOCHRY10_Lot02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:





Kaycha Labs

1011 NW 4TH AVENUE SUITE 400
MIAMI, FL 33136, US
(305) 566-0966

Certificate of Analysis

Page 4 of 4

Microbial

PASSED

Product	Lot	Batch	Result	Unit	Level
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000

Mycotoxins

PASSED

Product	Lot	Batch	Result	Unit	Level
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000

Heavy Metals

PASSED

Product	Lot	Batch	Result	Unit	Level
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000
AMIGOS CHERRY LIMEADE	2503CWB0057.0216	10mg	Not Detected	g	1000