

Global Widget

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations

Compliance for Retail: PASS



Heating Relief Roll On 750mg CBD / 3oz

Sample ID: T404017-01 CCB ID: Lot 240324GRH  
Matrix: Derivative Non-inhalable


Total Sample Received: 85g  
Total Units Received: 1  
Unit Weight: 85g

Date Sampled: 04/01/2024  
Date Received: 04/01/2024  
Date Reported: 04/02/2024

Safety Summary

Foreign Materials NOT TESTED	Heavy Metals NOT TESTED	Microbials NOT TESTED	Moisture Content NOT TESTED	Mycotoxins NOT TESTED
Pesticides NOT TESTED	Residual Solvents NOT TESTED	Terpenes NOT TESTED	Water Activity NOT TESTED	Vitamins Supplements NOT TESTED

Potency Summary



Cannabinoids

Date Prepared: 04/01/2024 15:55	Prep ID: 4599	Specimen Wt: 0.109 g		
Date Analyzed: 04/01/2024 18:34	Analyst ID: 5047	Instrument: HPLC VWD		
Lab Batch: 2414024		Prep/Analysis Method: SOP 1357		
Analyte	Dilution	Results	mg/Serving	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	ND	N/A	ND
Cannabidiol (CBD)	1	0.888	N/A	755
Cannabidiolic acid (CBDA)	1	ND	N/A	ND
Cannabidivarin (CBDV)	1	ND	N/A	ND
Cannabigerol (CBG)	1	0.0465	N/A	40.0
Cannabigerolic acid (CBGA)	1	ND	N/A	ND
Cannabinol (CBN)	1	ND	N/A	ND
d8 - Tetrahydrocannabinoid (d8-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinoid (d9-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	N/A	ND
Tetrahydrocannabivarin (THCV)	1	ND	N/A	ND
d10 - Tetrahydrocannabinoid (d10-THC)	1	ND	N/A	ND
Total THC		0.0000	0.000	0.000
Total CBD		0.888	0.000	755
Total Cannabinoids		0.934	0.000	794

Total THC= THCa \* 0.877 + d8-THC, Total CBD= CBDA \* 0.877 + CBD.  
mg/Unit = Unit Weight g \* Total THC/CBD mg/g  
LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terpirlifelabs.com

Brian C. Spann  
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/IEC 17025-IAF Communiqué dated April 2017).

Global Widget

Client Lic#:  
8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations



Compliance for Retail: **PASS**

Heat Relief Roll On

Sample ID: T404176-01 CCB ID:Lot 240324GRH  
Matrix: Derivative Non-inhalable

Total Sample Received: 85g  
Total Units Received: 1  
Unit Weight: 85g

Date Sampled: 04/10/2024  
Date Received: 04/11/2024  
Date Reported: 04/12/2024

Foreign Materials NOT TESTED	Heavy Metals NOT TESTED	Microbials <b>PASS</b>	Moisture Content NOT TESTED	Mycotoxins NOT TESTED
Pesticides NOT TESTED	Residual Solvents NOT TESTED	Terpenes NOT TESTED	Water Activity NOT TESTED	Vitamins Supplements NOT TESTED

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / [www.terplifelabs.com](http://www.terplifelabs.com)

Brian C. Spann  
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations



Compliance for Retail: PASS

Heat Relief Roll On

Sample ID: T404176-01 CCB ID: Lot 240324GRH  
Matrix: Derivative Non-inhalable

Total Sample Received: 85g  
Total Units Received: 1  
Unit Weight: 85g

Date Sampled: 04/10/2024  
Date Received: 04/11/2024  
Date Reported: 04/12/2024

Microbials

Date Prepared: 04/11/2024 09:39      Prep ID: 1093      Specimen Wt: 1.00 g  
Date Analyzed: 04/12/2024 11:27      Analyst ID: 1093      Instrument: qPCR  
Lab Batch: 2415103      Analysis Method: SOP1353/1364/1352


Pass

Analyte	Action Limit	LOD	Results	Status
	cfu/g	cfu/g	cfu/g	
Aspergillus Flavus	1	1	Absent in 1 gram	Pass
Aspergillus Fumigatus	1	1	Absent in 1 gram	Pass
Aspergillus Niger	1	1	Absent in 1 gram	Pass
Aspergillus Terreus	1	1	Absent in 1 gram	Pass
Salmonella	1	1	Absent in 1 gram	Pass
Shiga Toxin producing E. Coli	1	1	Absent in 1 gram	Pass
Total Yeast and Mold	100000	10000	ND	Pass

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terlifelabs.com

  
Brian C. Spann  
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017)