

Q SOP.006.T3 CBD Product Certificate of Analysis (CofA) Template
Revision:00
Revision Date: 06/10/2022
Last Edits BY: JENA Murray
Approval: Jena Murray
Approval Date: 06/29/2022

	PRODUCT INFO											
PRODUCT NAME	Medterra Full Spectrum Max Relief	ITEM Number	7301437000050120									
	Liquid Capsule, 50mg, 60ct											
Lot Number	65594	Amount Per Bottle:	60ct									
Expiration Date:	6/2026	Storage	Room Temperature, away from									
		Recommendation:	light									
	PHYSICAL QUALITIES											
STRENGTH	50mgCBD/2mgTHC / per serving	COLOR	Amber									
SIZE	60ct	ODOR	n/a									
ADDITIONAL	n/a	FLAVOR	n/a									
INFO	,		,									
Test Performed:		PASS / FAIL										
Potency:		Pass										
Heavy Metals:		Pass										
Mycotoxins:		Pass Pass										
Pesticides:		Pass Pass										
Residual Solven		Pass Pass										
Listeria Monocyt	togenes:	Pass										
Pathogens:		Pass										

Test Performed	Method	Specification	Result	Pass/Fail
CBD	UHPLC - DAD	≥ 50mg / serving	55.98mg / serving	<ul><li>☑ Pass</li><li>☐ Fail</li></ul>
THC	UHPLC - DAD	≥ 2mg / serving	2,20mg / serving	⊠ Pass □ Fail
Additional Minor Cannabinoids	UHPLC - DAD	≥ 8mg / serving	10.25mg / serving	⊠ Pass □ Fail
Arsenic	ICP-MS	≤ 1500ppb	ND	<ul><li>☑ Pass</li><li>☐ Fail</li></ul>
Cadmium	ICP-MS	≤ 500ppb	ND	<ul><li>☐ Pass</li><li>☐ Fail</li></ul>
Lead	ICP-MS	≤ 500ppb	0.008	⊠ Pass □ Fail
Mercury	ICP-MS	≤ 3000ppb	ND	⊠ Pass □ Fail
Aflatoxin B1	LCMS	≤ 20 ppb	ND	⊠ Pass □ Fail
Aflatoxin G1	LCMS	≤ 20 ppb	ND	⊠ Pass □ Fail
Ochratoxin A	LCMS	≤ 20 ppb	ND	<ul><li>☑ Pass</li><li>☐ Fail</li></ul>



Q SOP.006.T3 CBD Product Certificate of Analysis (CofA) T	emplate
Revision:00	

Revision Date: 06/10/2022

Last Edits BY: JENA Murray

Approval: Jena Murray Approval Date: 06/29/2022

Test Performed	Method	Specification	Result	Pass/Fail
E. Coli	USP2022	Absent	ND	<ul><li>☑ Pass</li><li>☐ Fail</li></ul>
Salmonella	USP2022	Absent	ND	<ul><li>☑ Pass</li><li>☐ Fail</li></ul>
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	qPCR	Absent	ND	<ul><li>☐ Pass</li><li>☐ Fail</li></ul>
Listeria Monocytogenes	qPCR	Absent	NT	☐ Pass ☐ Fail
Full Pesticide Panel (see attached results for each tested)	LCMS / GCMS	See attached results for Specification of each Pesticide tested	See attached	⊠ Pass □ Fail
Residual Solvents (see attached results for each tested)	GCMS	See attached results for Specification of each Residual Solvent tested	See Attached	⊠ Pass □ Fail

NOTES:	n/a 06/20/2024 rcg

Released: APPROVED

By Raquel Garza at 11:37 am, Jun 20, 2024

Quality Assurance:

Date:\_\_\_\_\_



#### Certificate of Analysis **QA SAMPLE - INFORMATIONAL ONLY**



ICAL ID: 20240606-012 Sample: CA240606-006-007 Medterra Full Spectrum Max Relief Liquid Capsule, 50mg, 60ct Strain: Medterra Full Spectrum Max Relief Liquid Capsule, 50mg, 60ct

Category: Ingestible Type: Capsule

Medterra CBD 18500 Von Karman Ave Irvine, CA 92612

Lic.#

Batch#: 65594 Batch Size Collected: Total Batch Size: Collected: 06/11/2024; Received: 06/11/2024 Completed: 06/11/2024

Moisture	Δ9 <b>-</b> THC	CBD	Total Cannabinoids	Sum of Cannabinoids	Total Terpenes
<b>NT</b> Water Activity	65.98 mg/unit	1,679.43 mg/ unit	2,063.80	2,063.80	NT
NT	2.20 mg/serving	55.98 mg/ serving	mg/unit	mg/unit	68.79 mg/serving
`mamaa#\.	CODULI D-t- T-	- 4 d			

Summary SOP Used Date Tested Batch **Pass** POT-PREP-004 High Complete Cannabinoids 06/06/2024 RS-PREP-001 Residual Solvents 06/06/2024 06/11/2024 Pass MICRO-PREP-001 Pass Microbials PESTMYCO-LC-PREP-001 HM-PREP-001 06/06/2024 Mycotoxins Pass Heavy Metals 06/07/2024 **Pass** FM-PREP-001 Foreign Matter Pass 06/06/2024 MYCO-LC-PREP-001/ Pesticides 06/06/2024 **Pass** PEST-GC-PREP-001



Scan to see results

### Cannabinoid Profile

1 Unit = container, 34.19 g. 30 serving(s) per container.

Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g	mg/unit	Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g	mg/unit
THCa	0.1841	0.0614	ND	ND	ND	CBGa	0.2669	0.0890	ND	ND	ND
Δ9-THC	0.0794	0.0265	0.193	1.93	65.98	CBG	0.0915	0.0305	0.534	5.34	182.68
Δ8-THC	0.0824	0.0275	ND	ND	ND	CBN	0.1112	0.0371	0.102	1.02	34.70
THCV	0.0714	0.0238	ND	ND	ND	Total THC			0.19	1.93	65.98
CBDa	0.0880	0.0293	ND	ND	ND	Total CBD			4.91	49.12	1679.43
CBD	0.0755	0.0252	4.912	49.12	1679.43	Total			6.04	60.36	2063.80
CBDV	0.0741	0.0247	0.057	0.57	19.63	Sum of Cannabinoids			6.04	60.36	2063.80
CBC	0.2221	0.0740	0.238	2.38	81 38						

Total THC=THCa \* 0.877 + d9-THC + d8-THC; Total CBD = CBDa \* 0.877 + CBD. Total Cannabinoids=(Acidic Cannabinoids) \* 0.877 + Non-acidic Cannabinoids: Sum of Cannabinoids=Acidic Cannabinoids=Non-acidic Cannabinoids. LOD= Limit of Detection, LOQ= Limit of Quantitation, ND= Not Detected, NR= Not Reported. Potency is reported on a dry weight basis. Instrumentation and analysis SOPs used: Cannabinoids: UHPLC-DAD(POT-INST-005), Moisture: Moisture Analyzer (MOISTURE-001), Water Activity: Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (WA-INST-002), Microscope (WA-INST-002), Microscope (WA-INST-002), Microscope (WA-INST-002), Microscope ( measured at 0-90% RH. All QA submitted by the client, All CA State Compliance sampled using SAMPL-SOP-001.

### Terpene Profile

LOQ (mg/g) LOD (mg/g) % LOQ (mg/g) LOD (mg/g) % Analyte mg/g Analyte mg/g

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP TERP-INST-003.



Infinite Chemical Analysis Labs 8312 Miramar Mall San Diego, CA (858) 623-2740 www.infiniteCAL.com Lic# C8-000047-LIC

Josh Swider Lab Director, Managing Partner 06/11/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.





# Certificate of Analysis

ICAL ID: 20240606-012 Sample: CA240606-006-007 Medterra Full Spectrum Max Relief Liquid Capsule, 50mg, 60ct Strain: Medterra Full Spectrum Max Relief Liquid Capsule, 50mg, 60ct Category: Ingestible Type: Capsule

Medterra CBD 18500 Von Karman Ave Irvine, CA 92612

Lic.#

Batch#: 65594 Batch Size Collected: Total Batch Size: Collected: 06/11/2024; Received: 06/11/2024 Completed: 06/11/2024

#### **Residual Solvent Analysis**

Category 1	LOQ LOD I	_imit S	tatus	Category 2		LOQ	LOD	Limit	Status	Category 2		LOQ	LOD	Limit	Status
	μg/g μg/g μg/g	µg/g			μg/g	µg/g	μg/g	µg/g			μg/g	μg/g	μg/g	μg/g	
1,2-Dichloro-Ethane	ND 0.264 0.088	1	Pass	Acetone	ND	51.246	0.716	5000	Pass	n-Hexane	ND	0.281	0.027	290	Pass
Benzene	ND 0.052 0.017	1	Pass	Acetonitrile	ND	0.42	0.14	410	Pass	Isopropanol	ND	2.86	0.614	5000	Pass
Chloroform	ND 0.076 0.025	1	Pass	Butane	ND	4.849	0.748	5000	Pass	Methanol	ND	2.602	0.867	3000	Pass
Ethylene Oxide	ND 0.579 0.179	1	Pass	Ethano <b>l</b>	300.3	7.575	2.525	5000	Pass	Pentane	ND	5.075	1.692	5000	Pass
Methylene-Chloride	ND 0.729 0.08	1	Pass	Ethyl-Acetate	ND	2.288	0.175	5000	Pass	Propane	ND	9.709	3.236	5000	Pass
Trichloroethene	ND 0.145 0.028	1	Pass	Ethyl-Ether	ND	2.869	0.389	5000	Pass	Toluene	ND	0.864	0.067	890	Pass
				Heptane	ND	2.859	0.496	5000	Pass	Xylenes	ND	2.572	0.326	2170	Pass

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP RS-

### **Heavy Metal Screening**

		LOQ	LOD	Limit	<u>Status</u>
	µg/g	µg/g	µg/g	µg/g	<u> </u>
Arsenic	ND	0.009	0.003	1.5	Pass
Cadmium	ND	0.002	0.001	0.5	Pass
Lead	0.008	0.004	0.001	0.5	Pass
Mercury	ND	0.014	0.005	1.5	Pass

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: ICP-MS; samples analyzed according to SOP HM-

# Microbiological Screening

	Limit	Result	Status
	CFU/g	CFU/g	_
Aspergillus flavus		Not Detected	Pass
Aspergillus fumigatus		Not Detected	Pass
Aspergillus niger		Not Detected	Pass
Aspergillus terreus		Not Detected	Pass
STEC		Not Detected	Pass
Salmonella SPP		Not Detected	Pass

ND=Not Detected. Analytical instrumentation used:qPCR; samples analyzed according to SOP MICRO-INST-001.



Infinite Chemical Analysis Labs 8312 Miramar Mall San Diego, CA (858) 623-2740 www.infiniteCAL.com Lic# C8-0000047-LIC

Josh Swider

Lab Director, Managing Partner 06/11/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



3 of 3



### Certificate of Analysis

ICAL ID: 20240606-012 Sample: CA240606-006-007 Medterra Full Spectrum Max Relief Liquid Capsule, 50mg, 60ct Strain: Medterra Full Spectrum Max Relief Liquid Capsule, 50mg, 60ct Category: Ingestible Type: Capsule Medterra CBD Lic. # 18500 Von Karman Ave Irvine, CA 92612

Lic.#

Batch#: 65594 Batch Size Collected: Total Batch Size: Collected: 06/11/2024; Received: 06/11/2024 Completed: 06/11/2024

#### **Chemical Residue Screening**

Category 1		LOQ	LOD	Status	Mycotoxins		LOQ	LOD	Limit	Status
	μg/g	µg/g	µg/g			μg/kg	µg/kg	µg/kg	µg/kg	
A <b>l</b> dicarb	ND	0.065	0.022	Pass	B1	ND	7.88	2.6		Tested
Carbofuran	ND	0.030	0.009	Pass	B2	ND	6.18	2.04		Tested
Ch <b>l</b> ordane	ND	0.075	0.025	Pass	G1	ND	8.99	2.97		Tested
Chlorfenapyr	ND	0.075	0.025	Pass	G2	ND	5.72	1.89		Tested
Chlorpyrifos	ND	0.053	0.018	Pass	Ochratoxin A	ND	11.72	3.87	20	Pass
Coumaphos	ND	0.056	0.018	Pass	Total Aflatoxins	ND			20	Pass
Daminozide	ND	0.079	0.026	Pass	•					
Dich <b>l</b> orvos	ND	0.067	0.022	Pass						
Dimethoate	ND	0.036	0.012	Pass						
Ethoprophos	ND	0.053	0.017	Pass						
Etofenprox	ND	0.030	0.008	Pass						
Fenoxycarb	ND	0.043	0.014	Pass						
Fiproni <b>l</b>	ND	0.045	0.015	Pass						
Imazalil	ND	0.047	0.016	Pass						
Methiocarb	ND	0.047	0.016	Pass						
Mevinphos	ND	0.042	0.014	Pass						
Paclobutrazol	ND	0.040	0.013	Pass						
Parathion Methyl	ND	0.024	0.008	Pass						
Propoxur	ND	0.047	0.016	Pass						
Spiroxamine	ND	0.032	0.011	Pass						
Thiacloprid	ND	0.042	0.014	Pass						

Category 2		LOQ	LOD	Limit	Status	Category 2		LOQ	LOD	Limit	Status
	μg/g	µg/g	µg/g	μg/g			μg/g	µg/g	μg/g	µg/g	
Abamectin	ND	0.030	0.010	0.3	Pass	Kresoxim Methyl	ND	0.038	0.012	1	Pass
Acephate	ND	0.050	0.016	5	Pass	Malathion	ND	0.035	0.012	5	Pass
Acequinocyl	ND	0.059	0.019	4	Pass	Metalaxyl	ND	0.031	0.010	15	Pass
Acetamiprid	ND	0.044	0.015	5	Pass	Methomyl	ND	0.048	0.016	0.1	Pass
Azoxystrobin	ND	0.029	0.010	40	Pass	Myclobutanil	ND	0.055	0.018	9	Pass
Bifenazate	ND	0.035	0.012	5	Pass	Naled	ND	0.051	0.017	0.5	Pass
Bifenthrin	ND	0.040	0.013	0.5	Pass	Oxamyl	ND	0.046	0.015	0.3	Pass
Boscalid	ND	0.060	0.020	10	Pass	Pentachloronitrobenzene	ND	0.054	0.018	0.2	Pass
Captan	ND	0.358	0.120	5	Pass	Permethrin	ND	0.030	0.008	20	Pass
Carbary <b>l</b>	ND	0.049	0.016	0.5	Pass	Phosmet	ND	0.038	0.012	0.2	Pass
Chlorantraniliprole	ND	0.063	0.021	40	Pass	Piperony <b>l</b> Butoxide	ND	0.030	0.008	8	Pass
Clofentezine	ND	0.039	0.013	0.5	Pass	Prallethrin	ND	0.068	0.023	0.4	Pass
Cyfluthrin	ND	0.056	0.019	1	Pass	Propiconazole	ND	0.059	0.019	20	Pass
Cypermethrin	ND	0.044	0.015	1	Pass	Pyrethrins	ND	0.030	0.004	1	Pass
Diazinon	ND	0.030	0.006	0.2	Pass	Pyridaben	ND	0.035	0.012	3	Pass
Dimethomorph	ND	0.042	0.014	20	Pass	Spinetoram	ND	0.030	0.006	3	Pass
Etoxazo <b>l</b> e	ND	0.030	0.008	1.5	Pass	Spinosad	ND	0.030	0.004	3	Pass
Fenhexamid	ND	0.039	0.013	10	Pass	Spiromesifen	ND	0.042	0.014	12	Pass
Fenpyroximate	ND	0.030	0.010	2	Pass	Spirotetramat	ND	0.041	0.013	13	Pass
Flonicamid	ND	0.081	0.027	2	Pass	Tebuconazo <b>l</b> e	ND	0.044	0.014	2	Pass
Fludioxonil	ND	0.046	0.015	30	Pass	Thiamethoxam	ND	0.055	0.018	4.5	Pass
Hexythiazox	ND	0.078	0.026	2	Pass	Trifloxystrobin	ND	0.031	0.010	30	Pass
<u>lmidacloprid</u>	ND	0.071	0.023	3	Pass	·	-			-	

#### Other Analyte(s):

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs PESTMYCO-LC-INST-004 and PEST-GC-INST-003.



Infinite Chemical Analysis Labs 8312 Miramar Mall San Diego, CA (858) 623-2740 www.infiniteCAL.com Lic# C8-000047-LIC

Josh M Swider

Josh Swider Lab Director, Managing Partner 06/11/2024 Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.