

ACCURATE
TEST LAB

Analysis Date: 6/6/2024

Kim Dang
Laboratory Manager

Analyte	LOQ (mg/g)	Results mg/gummy	%	Analyte	LOQ (mg/g)	Results mg/gummy	%	Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.011	N/D	N/D	9S-HHC	<0.009	26.484	0.345	1S-H4CBD	<0.012	N/D	N/D
CBDV	<0.011	N/D	N/D	9R-HHC	<0.013	53.429	0.696	1R-H4CBD	<0.025	N/D	N/D
CBD-A	<0.008	N/D	N/D	CBC	<0.009	N/D	N/D	D9-THCB	<0.004	N/D	N/D
CBG-A	<0.008	N/D	N/D	CBC-A	<0.005	N/D	N/D	D8-THCB	<0.007	N/D	N/D
CBG	<0.007	N/D	N/D	THC-A	<0.005	N/D	N/D				
CBD	<0.014	N/D	N/D	D9-THCH	<0.006	N/D	N/D				
THCV	<0.008	N/D	N/D	D8-THCH	<0.009	N/D	N/D				
D8-THCV	<0.004	N/D	N/D	D9-THCP	<0.009	N/D	N/D				
THCV-A	<0.005	N/D	N/D	D8-THCP	<0.010	N/D	N/D				
CBN	<0.011	26.331	0.343	D8-THCO	<0.007	N/D	N/D				
D9-THC	<0.014	N/D	N/D	D9-THCO	<0.005	N/D	N/D				
D8-THC	<0.005	1217.355	15.858	9S-HHCP	<0.010	N/D	N/D				
9S-D10-THC	<0.005	N/D	N/D	9R-HHCP	<0.010	N/D	N/D				
9R-D10-THC	<0.002	N/D	N/D	11-OH-D8-THC	<0.005	N/D	N/D				
Max Active THC mg/gummy N/D % N/D				Total Active Cannabinoids mg/gummy 1323.60 % 17.24				Max Active CBD mg/gummy N/D % N/D			
				Total Cannabinoids mg/gummy 1323.60 % 17.24							

[illegible]

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced absent in full without consent of Accurate Test Lab, LLC.

Analysis Method: ATL-1 CM-001 Accurate Test Laboratories ND: Not Detected LOQ: Limit of quantification

ATL-500A

QR CODE