ustomer:	ACCURATE TEST LAB Batch #: Laboratory Number:	Report Issue Date: Order Date: Analysis Date:	
Sample Description: Jnit Weight:	Photo	Extraction Technician: LL Analytical Chemist: LL Kun Dang Laboratory Manager	
CANNABINOID PROFIL Analyte LOQ Results %	Dayle	Analyte LOQ Results %	
Max Activ	ve THC Total Active Cannabinoids		

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND: Not Detected Trace Cannabinoids detected but are below limit of quantification. LOQ = Limit of Quantifaction, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion,(%) = Percent, (cfu/g) = Colony Forming Unit per Gram(Cfu/g) = Colony Forming Unit per Gram(Detection, (µg/g) = Microgram per Gram(ppm) = Parts per Million, (ppm) = (µg/g), (aw) = aw(area ratio) = Area Ratio, (mg/Kg) = Milligram per Klogram methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this



CERTIFICATE OF ANALYSIS Report Issue Date: Batch #: **Order Date:** Customer: **Analysis Date: Laboratory Number:** Extraction Technician: AA Sample Description: Analytical Chemist: AA **Photo Unit Weight:** Kim Dang Laboratory Manager **PESTICIDES PROFILE**

Analyte Analyte RESULT PASS/FAIL **Analyte** RESULT PASS/FAIL **RESULT PASS/FAIL**

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected T:Trace Cannabinoids detected but are below limit of quantification.



CERTIFICATE OF ANALYSIS Report Issue Date: Batch #: **Order Date: Customer: Analysis Date: Laboratory Number:** Extraction Technician: AA Sample Description: Analytical Chemist: AA **Photo Unit Weight:** Kim Dang Laboratory Manager **RESIDUAL SOLVENTS PROFILE** Concentration **Action Limit Analyte** PASS/FAIL (PPM) (PPM)



NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-GCM-001

1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.




CERTIFICATE O	FANALYSIS		
Customer:	Batch #:	VURATE S T LA B Number:	Report Issue Date: Order Date: Analysis Date:
Sample Description: Unit Weight:	Extraction Technician: LL Analytical Chemist: LL Kim Dang Laboratory Manager		
FILIH & FORE Filth & Foreign Materials	IGN MATERIAL % Detected by Weight	Allowable Criteria	PASS / FAIL

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020 Accurate Test Lab, LLC 2000 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA





Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

NA= Not applicable; ND= Not detected; NT: Not tested; LOD= <10 CFUs; qPCR LOD= <1 CFU/g - Method of Analysis qPCR

PASS-FAIL, Criteria based on CMTL Sample Testing Florida Department of Health Emergency Rule for 2020





CERTIFIC	CATE OF ANALYSIS				
ustomer:		ACCURATE TEST LAB Batch #: Laboratory Number:		t Issue Date: Order Date: nalysis Date:	
Sample Description: Unit Weight:		Photo	V /// //	Extraction Technician: LL Analytical Chemist: LL Kim Dang Laboratory Manager	
Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL	

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -CFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

