

Certificate of Analysis  
Compliance Test

## Client Information:

Honest PP&amp;D

1038 Arlington St

Orlando, Florida 32805

Batch # PTA-0002  
Batch Date: 2023-10-19  
Extracted From: HEMP

Test Reg State: Florida

Order # HON231019-050001

Order Date: 2023-10-19

Sample # AAEZ043

Sampling Date: 2023-10-21  
Lab Batch Date: 2023-10-21  
Orig. Completion Date: 2023-11-08  
Statement of Amendment: Updated Potency; Updated PhotoInitial Gross Weight: 106.099 g  
Net Weight: 60.099 gNumber of Units: 1  
Net Weight per Unit: 6009.900 mg  
Sampling Method: MSP 7.3.1

Product Image

Potency  
TestedHeavy Metals  
PassedMycotoxins  
PassedPesticides  
PassedResidual Solvents  
PassedPathogenic Microbiology  
PassedMicrobiology (qPCR)  
PassedPotency 25 (LCUV)  
Specimen Weight: 1541.900 mgTested  
SOP13.002 (LCUV)

## Potency Summary

Pieces For Panel: 10

| Analyte               | Dilution (1:n) | LOD (%) | LOQ (%) | Result (mg/g) | (%)    |
|-----------------------|----------------|---------|---------|---------------|--------|
| Delta9-THCP *         | 100.000        | 1.17E-5 | 0.012   | 1.8670        | 0.1867 |
| CBD                   | 10.000         | 5.40E-5 | 0.0015  | 0.0700        | 0.0070 |
| CBNA                  | 10.000         | 9.50E-5 | 0.0015  | 0.0348        | 0.0035 |
| Delta8-THCP *         | 10.000         | 3.75E-4 | 0.0015  | 0.0209        | 0.0021 |
| CBC                   | 10.000         | 1.80E-5 | 0.0015  | <LOQ          | <LOQ   |
| CBCA                  | 10.000         | 1.07E-4 | 0.0015  | <LOQ          | <LOQ   |
| CBDA                  | 10.000         | 1.00E-5 | 0.0015  | <LOQ          | <LOQ   |
| CBDV                  | 10.000         | 6.50E-5 | 0.0015  | <LOQ          | <LOQ   |
| CBDVA                 | 10.000         | 1.40E-5 | 0.0015  | <LOQ          | <LOQ   |
| CBG                   | 10.000         | 2.48E-4 | 0.0015  | <LOQ          | <LOQ   |
| CBGA                  | 10.000         | 8.00E-5 | 0.0015  | <LOQ          | <LOQ   |
| CBL                   | 10.000         | 3.50E-5 | 0.0015  | <LOQ          | <LOQ   |
| CBN                   | 10.000         | 1.40E-5 | 0.0015  | <LOQ          | <LOQ   |
| CBT                   | 10.000         | 2.00E-4 | 0.0015  | <LOQ          | <LOQ   |
| Delta-8 THC           | 100.000        | 2.60E-5 | 0.015   | <LOQ          | <LOQ   |
| Delta-8 THC-O Acetate | 10.000         | 2.70E-5 | 0.003   | <LOQ          | <LOQ   |
| Delta-8 THCV          | 10.000         | 4.00E-5 | 0.0015  | <LOQ          | <LOQ   |
| Delta-9 THC           | 100.000        | 1.30E-5 | 0.015   | <LOQ          | <LOQ   |
| Delta-9 THC-O Acetate | 10.000         | 7.70E-5 | 0.003   | <LOQ          | <LOQ   |
| Exo-THC               | 10.000         | 2.30E-4 | 0.0015  | <LOQ          | <LOQ   |
| THCA-A                | 10.000         | 3.20E-5 | 0.0015  | <LOQ          | <LOQ   |
| THCB *                | 10.000         | 1.80E-4 | 0.00195 | <LOQ          | <LOQ   |
| THCH *                | 10.000         | 3.50E-4 | 0.00195 | <LOQ          | <LOQ   |
| THCV                  | 10.000         | 7.00E-6 | 0.0015  | <LOQ          | <LOQ   |
| THCVA                 | 10.000         | 4.70E-5 | 0.0015  | <LOQ          | <LOQ   |
| Total Active CBD      | 10.000         |         |         | 0.070         | 0.007  |
| Total Active THC      | 10.000         |         |         | <LOQ          | <LOQ   |

|                                        |                                        |
|----------------------------------------|----------------------------------------|
| Total Active THC<br>None Detected      | Total Active CBD<br>0.007% 0.421 mg    |
| Total CBG<br>None Detected             | Total CBN<br>0.003% 0.180 mg           |
| Other Cannabinoids<br>0.189% 11.359 mg | Total Cannabinoids<br>0.199% 11.960 mg |

Aixa Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta9-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, , LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling. Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "A" are not ISO/IEC 17025:2017 accredited test results.



## Certificate of Analysis

Compliance Test

**Client Information:**

**Honest PP&D**

**1038 Arlington St**

**Orlando, Florida 32805**

Batch # PTA-0002  
Batch Date: 2023-10-19  
Extracted From: HEMP

Test Reg State: Florida

Order # HON231019-050001  
Order Date: 2023-10-19  
Sample # AAEZ043

Sampling Date: 2023-10-21  
Lab Batch Date: 2023-10-21  
Orig. Completion Date: 2023-11-08

Initial Gross Weight: 106.099 g  
Net Weight: 60.099 g

Number of Units: 1  
Net Weight per Unit: 6009.900 mg  
Sampling Method: MSP 7.3.1



**Total Yeast and Mold**

Specimen Weight: 485.500 mg

**Passed**  
SOP13.017 (qPCR)



**Pathogenic Microbiology SAE**  
(MicroArray)

**Passed**  
SOP13.019  
(Micro Array)

Dilution Factor: 1.000

| Analyte          | Action Level<br>(cfu/g) | Result<br>(cfu/g) | Remark |
|------------------|-------------------------|-------------------|--------|
| Total Yeast/Mold | 100000                  | <LOQ              | Passed |

Specimen Weight: 1032.900 mg

Dilution Factor: 1.000

| Analyte               | Result<br>(cfu/g) | Analyte             | Result<br>(cfu/g) |
|-----------------------|-------------------|---------------------|-------------------|
| Aspergillus flavus    | Absence in 1g     | Aspergillus terreus | Absence in 1g     |
| Aspergillus fumigatus | Absence in 1g     | Salmonella          | Absence in 1g     |
| Aspergillus niger     | Absence in 1g     | STEC E. Coli        | Absence in 1g     |

Aixa Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "M" are not ISO/IEC 17025:2017 accredited test results.





## Certificate of Analysis

Compliance Test

### Client Information:

**Honest PP&D**

1038 Arlington St  
Orlando, Florida 32805

Batch # PTA-0002  
Batch Date: 2023-10-19  
Extracted From: HEMP

Test Reg State: Florida

Order # HON231019-050001  
Order Date: 2023-10-19  
Sample # AAEZ043

Sampling Date: 2023-10-21  
Lab Batch Date: 2023-10-21  
Orig. Completion Date: 2023-11-08

Initial Gross Weight: 106.099 g  
Net Weight: 60.099 g

Number of Units: 1  
Net Weight per Unit: 6009.900 mg  
Sampling Method: MSP 7.3.1



### Heavy Metals

Specimen Weight: 248.900 mg

**Passed**  
SOP13.048 (ICP-MS)

Dilution Factor: 200

| Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Arsenic (As) | 4.83      | 100       | 1500               | <LOQ         | Lead (Pb)    | 11.76     | 100       | 500                | <LOQ         |
| Cadmium (Cd) | .64       | 100       | 500                | <LOQ         | Mercury (Hg) | .58       | 100       | 3000               | <LOQ         |



### Mycotoxins

Specimen Weight: 602.400 mg

**Passed**  
SOP13.007 (LCMS)

Dilution Factor: 2.490

| Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Aflatoxin B1 | 3.0400E-1 | 6         | 20                 | <LOQ         | Aflatoxin G2 | 2.7100E-1 | 6         | 20                 | <LOQ         |
| Aflatoxin B2 | 7.7000E-2 | 6         | 20                 | <LOQ         | Ochratoxin A | 7.5400E-1 | 3.8       | 20                 | <LOQ         |
| Aflatoxin G1 | 3.0400E-1 | 6         | 20                 | <LOQ         |              |           |           |                    |              |



### Residual Solvents - FL (CBD)

Specimen Weight: 13.500 mg

**Passed**  
SOP13.039 (GCMS)

Dilution Factor: 1.000

| Analyte            | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte            | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|--------------------|-----------|-----------|--------------------|--------------|--------------------|-----------|-----------|--------------------|--------------|
| 1,1-Dichloroethene | 0.0094    | 0.16      | 8                  | <LOQ         | Heptane            | 0.0013    | 1.39      | 5000               | <LOQ         |
| 1,2-Dichloroethene | 0.0003    | 0.04      | 5                  | <LOQ         | Hexane             | 0.068     | 1.17      | 290                | <LOQ         |
| Acetone            | 0.015     | 2.08      | 5000               | <LOQ         | Isopropyl alcohol  | 0.0048    | 1.39      | 500                | <LOQ         |
| Acetonitrile       | 0.06      | 1.17      | 410                | <LOQ         | Methanol           | 0.0005    | 0.69      | 3000               | <LOQ         |
| Benzene            | 0.0002    | 0.02      | 2                  | <LOQ         | Methylene chloride | 0.0029    | 2.43      | 600                | <LOQ         |
| Butanes            | 0.4167    | 2.5       | 2000               | <LOQ         | Pentane            | 0.037     | 2.08      | 5000               | <LOQ         |
| Chloroform         | 0.0001    | 0.04      | 60                 | <LOQ         | Propane            | 0.031     | 5.83      | 2100               | <LOQ         |
| Ethanol            | 0.0021    | 2.78      | 5000               | <LOQ         | Toluene            | 0.0009    | 2.92      | 890                | <LOQ         |
| Ethyl Acetate      | 0.0012    | 1.11      | 5000               | <LOQ         | Total Xylenes      | 0.0001    | 2.92      | 2170               | <LOQ         |
| Ethyl Ether        | 0.0049    | 1.39      | 5000               | <LOQ         | Trichloroethylene  | 0.0014    | 0.49      | 80                 | <LOQ         |
| Ethylene Oxide     | 0.0038    | 0.1       | 5                  | <LOQ         |                    |           |           |                    |              |

*Aixia Sun*

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "M" are not ISO/IEC 17025:2017 accredited test results.





## Certificate of Analysis

Compliance Test

**Client Information:**

**Honest PP&D**

**1038 Arlington St**

**Orlando, Florida 32805**

Batch # PTA-0002  
Batch Date: 2023-10-19  
Extracted From: HEMP

Test Reg State: Florida

Order # HON231019-050001  
Order Date: 2023-10-19  
Sample # AAEZ043

Sampling Date: 2023-10-21  
Lab Batch Date: 2023-10-21  
Orig. Completion Date: 2023-11-08

Initial Gross Weight: 106.099 g  
Net Weight: 60.099 g

Number of Units: 1  
Net Weight per Unit: 6009.900 mg  
Sampling Method: MSP 7.3.1

**Pesticides**

Specimen Weight: 602.400 mg

**Passed**

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.490

| Analyte              | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte                 | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|----------------------|-----------|-----------|--------------------|--------------|-------------------------|-----------|-----------|--------------------|--------------|
| Abamectin            | 2.8800E-1 | 28.23     | 300                | <LOQ         | Fludioxonil             | 1.7400E+0 | 48        | 3000               | <LOQ         |
| Acephate             | 2.3000E-2 | 30        | 3000               | <LOQ         | Hexythiazox             | 4.9000E-2 | 30        | 2000               | <LOQ         |
| Acequinocyl          | 9.5640E+0 | 48        | 2000               | <LOQ         | Imazalil                | 2.4800E-1 | 30        | 100                | <LOQ         |
| Acetamiprid          | 5.2000E-2 | 30        | 3000               | <LOQ         | Imidacloprid            | 9.4000E-2 | 30        | 3000               | <LOQ         |
| Aldicarb             | 2.6000E-2 | 30        | 100                | <LOQ         | Kresoxim Methyl         | 4.2000E-2 | 30        | 1000               | <LOQ         |
| Azoxystrobin         | 8.1000E-2 | 10        | 3000               | <LOQ         | Malathion               | 8.2000E-2 | 30        | 2000               | <LOQ         |
| Bifenazate           | 1.4150E+0 | 30        | 3000               | <LOQ         | Metalaxyl               | 8.1000E-2 | 10        | 3000               | <LOQ         |
| Bifenthrin           | 4.3000E-2 | 30        | 500                | <LOQ         | Methiocarb              | 3.2000E-2 | 30        | 100                | <LOQ         |
| Boscalid             | 5.5000E-2 | 10        | 3000               | <LOQ         | Methomyl                | 2.2000E-2 | 30        | 100                | <LOQ         |
| Captan               | 6.1200E+0 | 30        | 3000               | <LOQ         | methyl-Parathion        | 1.7100E+0 | 10        | 100                | <LOQ         |
| Carbaryl             | 2.2000E-2 | 10        | 500                | <LOQ         | Mevinphos               | 2.1500E+0 | 10        | 100                | <LOQ         |
| Carbofuran           | 3.4000E-2 | 10        | 100                | <LOQ         | Myclobutanil            | 1.0290E+0 | 30        | 3000               | <LOQ         |
| Chlorantraniliprole  | 3.3000E-2 | 10        | 3000               | <LOQ         | Naled                   | 9.5000E-2 | 30        | 500                | <LOQ         |
| Chlordane            | 1.0000E+1 | 10        | 100                | <LOQ         | Oxamyl                  | 2.5000E-2 | 30        | 500                | <LOQ         |
| Chlorfenapyr         | 3.4000E-2 | 30        | 100                | <LOQ         | Paclobutrazol           | 6.5000E-2 | 30        | 100                | <LOQ         |
| Chlormequat Chloride | 1.0800E-1 | 10        | 3000               | <LOQ         | Pentachloronitrobenzene | 1.3200E+0 | 10        | 200                | <LOQ         |
| Chlorpyrifos         | 3.5000E-2 | 30        | 100                | <LOQ         | Permethrin              | 3.4300E-1 | 30        | 1000               | <LOQ         |
| Clofentezine         | 1.1900E-1 | 30        | 500                | <LOQ         | Phosmet                 | 8.2000E-2 | 30        | 200                | <LOQ         |
| Coumaphos            | 3.7700E+0 | 48        | 100                | <LOQ         | Piperonylbutoxide       | 2.9000E-2 | 30        | 3000               | <LOQ         |
| Cyfluthrin           | 3.1100E+0 | 30        | 1000               | <LOQ         | Prallethrin             | 7.9800E-1 | 30        | 400                | <LOQ         |
| Cypermethrin         | 1.4490E+0 | 30        | 1000               | 148.922      | Propiconazole           | 7.0000E-2 | 30        | 1000               | <LOQ         |
| Daminozide           | 8.8500E-1 | 30        | 100                | <LOQ         | Propoxur                | 4.6000E-2 | 30        | 100                | <LOQ         |
| Diazinon             | 4.4000E-2 | 30        | 200                | <LOQ         | Pyrethrins              | 2.3593E+1 | 30        | 1000               | <LOQ         |
| Dichlorvos           | 2.1820E+0 | 30        | 100                | <LOQ         | Pyridaben               | 3.2000E-2 | 30        | 3000               | <LOQ         |
| Dimethoate           | 2.1000E-2 | 30        | 100                | <LOQ         | Spinetoram              | 8.0000E-2 | 10        | 3000               | <LOQ         |
| Dimethomorph         | 5.8300E+0 | 48        | 3000               | <LOQ         | Spinosad                | 8.8000E-2 | 30        | 3000               | <LOQ         |
| Ethoprophos          | 3.6000E-1 | 30        | 100                | <LOQ         | Spiromesifen            | 2.6100E-1 | 30        | 3000               | <LOQ         |
| Etofenprox           | 1.1600E-1 | 30        | 100                | <LOQ         | Spirotetramat           | 8.9000E-2 | 30        | 3000               | <LOQ         |
| Etoxazole            | 9.5000E-2 | 30        | 1500               | <LOQ         | Spiroxamine             | 1.3100E-1 | 30        | 100                | <LOQ         |
| Fenhexamid           | 5.1000E-1 | 10        | 3000               | <LOQ         | Tebuconazole            | 6.7000E-2 | 30        | 1000               | <LOQ         |
| Fenoxycarb           | 1.0700E-1 | 30        | 100                | <LOQ         | Thiacloprid             | 6.4000E-2 | 30        | 100                | <LOQ         |
| Fenpyroximate        | 1.3800E-1 | 30        | 2000               | <LOQ         | Thiamethoxam            | 5.0000E-2 | 30        | 1000               | <LOQ         |
| Fipronil             | 1.0700E-1 | 30        | 100                | <LOQ         | Trifloxystrobin         | 3.7000E-2 | 30        | 3000               | <LOQ         |
| Flonicamid           | 5.1700E-1 | 30        | 2000               | <LOQ         |                         |           |           |                    |              |

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "M" are not ISO/IEC 17025:2017 accredited test results.

