



Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com  
Lic#

QA Testing

1 of 1

## Disposable 5g- Smartiez

Sample ID: 2408AFL0047.0261

Strain: -

Matrix: Concentrates & Extracts

Type: Distillate

Sample Size: ; Batch:

Received: 08/22/2024

Completed: 08/22/2024

Batch#: 08222024

Client

Fresh Farm

Lic. #

3790 SW 30th ave

FORT LAUDERDALE, FL 33312



### Summary

Test

Batch

Cannabinoids

Date Tested

08/22/2024

Result

Complete

Complete

### Cannabinoids

Complete

ND

Total THC

4.94%

Total CBD

82.06%

Total Cannabinoids

| Analyte        | LOQ  | Result | Result  | Analyte          | LOQ  | Result | Result  |
|----------------|------|--------|---------|------------------|------|--------|---------|
|                | %    | %      | mg/unit |                  | %    | %      | mg/unit |
| THCa           | 0.01 | ND     | ND      | (6aR,9S)-d10-THC | 0.01 | ND     | ND      |
| Δ9-THC         | 0.01 | ND     | ND      | (6aR,9R)-d10-THC | 0.00 | ND     | ND      |
| Δ8-THC         | 0.01 | 59.04  | 2952.0  | 9S-HHC           | 0.01 | ND     | ND      |
| THCVa          | 0.01 | ND     | ND      | 9R-HHC           | 0.01 | ND     | ND      |
| THCV           | 0.01 | ND     | ND      | Δ9-THCH          | 0.01 | 7.81   | 390.6   |
| CBDa           | 0.01 | ND     | ND      | Δ8-THCH          | 0.01 | ND     | ND      |
| CBD            | 0.01 | 4.94   | 247.2   | Δ9-THCO          | 0.01 | ND     | ND      |
| CBDp           | 0.01 | ND     | ND      | Δ8-THCO          | 0.01 | ND     | ND      |
| CBDVa          | 0.01 | ND     | ND      | Δ9-THCP          | 0.01 | 8.27   | 413.7   |
| CBDV           | 0.01 | ND     | ND      | Δ8-THCP          | 0.01 | ND     | ND      |
| CBN            | 0.01 | 0.29   | 14.3    | 1(S)-H4-CBD      | 0.01 | ND     | ND      |
| CBGa           | 0.01 | ND     | ND      | 1(R)-H4-CBD      | 0.03 | ND     | ND      |
| CBG            | 0.01 | 1.71   | 85.3    | 9(S)-HHCP        | 0.01 | ND     | ND      |
| CBCa           | 0.01 | ND     | ND      | 9(R)-HHCP        | 0.01 | ND     | ND      |
| CBC            | 0.01 | ND     | ND      | Δ9-THCB          | 0.00 | ND     | ND      |
| 11-Hydroxy-THC | 0.01 | ND     | ND      | Δ8-THCB          | 0.01 | ND     | ND      |
| Δ8-THCV        | 0.00 | ND     | ND      | Total            |      | 82.06  | 4102.9  |

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 08/22/2024

NT

Not Tested

Moisture Content

NT

Not Tested

Water Activity

Not Tested

Foreign Matter



Kim Dang  
Laboratory Manager  
08/22/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com

