



Certificate of Analysis

COMPLIANCE FOR RETAIL

Mar 04, 2023 | Snoozy LLC

P.O. Box 110627
Brooklyn, NY, 11211, US

Sample:GA30228004-001
Harvest/Lot ID: 23-NMH20-52
Batch#: 23-NMH20-52
Cultivation Facility:
Processing Facility :
Distributor Facility :
Source Facility :
Seed to Sale# N/A
Batch Date: 02/21/23
Sample Size Received: 22.5 gram
Total Amount: 1 units
Retail Product Size: 4.5 gram
Ordered : 02/23/23
Sampled : 02/23/23
Completed: 03/04/23
Sampling Method: SOP.T.20.010.FL

PASSED

Pages 1 of 5



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

PASSED



**Total THC
0.201%**

Total THC/Container : 9.045 mg




**Total CBD
0.225%**

Total CBD/Container : 10.125 mg



**Total Cannabinoids
0.703%**

Total Cannabinoids/Container : 31.635 mg



Analyzed by:
2507, 3192, 3303, 1649

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : GA056780POT
Instrument Used : GA-HPLC-003 2030C PDA (Infused)
Running on : 03/01/23 17:45:14

Dilution : 40
Reagent : 110520.05; 081822.R45; 010421.44; 120622.10; 071522.04; 021823.R02; 021823.R05
Consumables : 212823; 947.109; 21/05/14; 9291.271; LLS-00-0005; 12558-231CD-231C; RONB32898; 46610-762A; 944C4 944J; 0000185478; 206639
Pipette : GA-002; GA-005; GA-177; GA-169 (Dispenser); GA-196; GA-209 Dispenser

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
Lab Director
State License # CMTL-0001
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/04/23

Signed On



**2444 NE 1st Blvd Suite 700
Gainesville, FL, 32609, US**

Kaycha Labs

New Morning Highs

N/A

Matrix : Edible



Certificate of Analysis

PASSED

Snoozy LLC

P.O. Box 110627
Brooklyn, NY, 11211, US
Telephone: (631) 627-1668
Email: hello@getsnoozy.com

Sample : GA30228004-001
Harvest/Lot ID: 23-NMH20-5
Batch# : 23-NMH20-52

Sample Size Received : 22.5 gram
Total Amount : 1 units
Completed : 03/04/23 **Expires:** 03/04
Sample Method : SOP.T.20.010.FL

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3575, 3303, 2155, 1649	Weight: 1.1117g	Extraction date: 03/01/23 15:11:04	Extracted by: 3571		
DIAZINON	0.01	ppm	3	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : GA056778PES		Reviewed On : 03/02/23 16:14:29			
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : GA-LCMS-002 PES		Batch Date : 03/01/23 10:26:20			
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on : 03/01/23 17:12:31					
ETOENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 10					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Reagent : 022123.R15; 011122.06; 02123.R95; 020123.R99					
FENHEXAMID	0.01	ppm	3	PASS	ND	Consumables : GA-210; 947.109; 21/05/14; 9291.271; LLS-00-0005; 89012-780; 296055173; 213605					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : GA-003					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 2155, 3303, 1649	Weight: 1.1117g	Extraction date: 03/01/23 15:11:04	Extracted by: 3571		
FLONICAMID	0.01	ppm	2	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONOL	0.01	ppm	3	PASS	ND	Analytical Batch : GA056809VOL		Reviewed On : 03/02/23 15:04:28			
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Instrument Used : GA-GCMS-006		Batch Date : 03/01/23 15:37:25			
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on : 03/01/23 17:14:27					
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Dilution : 10					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Reagent : 022123.R15; 011122.06; 02123.R25					
MALATHION	0.01	ppm	2	PASS	ND	Consumables : GA-210; 947.109; 21/05/14; 9291.271; LLS-00-0005; 89012-780; 296055173; 213605;					
METALAXYL	0.01	ppm	3	PASS	ND	5547-15.143701; 944C 944J; 206639					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : GA-002; GA-003; GA-004; GA-013					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda
MacDonald
Lab Director

State License # CMTL-0001
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

03/04/23

Signed On

Revision: #1 This revision supersedes any and all previous versions of this document.



Certificate of Analysis

PASSED

Snoozy LLC

P.O. Box 110627
Brooklyn, NY, 11211, US
Telephone: (631) 627-1668
Email: hello@getsnoozy.com

Sample : GA30228004-001
Harvest/Lot ID: 23-NMH20-52
Batch# : 23-NMH20-52
Sampled : 02/23/23
Ordered : 02/23/23
Sample Size Received : 22.5 gram
Total Amount : 1 units
Completed : 03/04/23 Expires: 03/04/24
Sample Method : SOP.T.20.010.FL

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	4708.236
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLEMES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
3298, 2155, 1649

Weight:
0.0286g

Extraction date:
03/01/23 16:28:06

Extracted by:
3298

Analysis Method : SOP.T.40.041.FL
Analytical Batch : GA056770SOL
Instrument Used : GA-GCMS-001 Headspace Solvent
Running on : 03/01/23 16:59:17

Reviewed On : 03/03/23 17:24:36
Batch Date : 03/01/23 09:14:44

Dilution : N/A
Reagent : 010421.47
Consumables : 27296; 854996
Pipette : GA-247

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda
MacDonald
Lab Director

State License # CMTL-0001
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

03/04/23

Signed On



2444 NE 1st Blvd Suite 700
Gainesville, FL, 32609, US

Kaycha Labs

.....

New Morning Highs

N/A

Matrix : Edible



Certificate of Analysis

PASSED

Snoozy LLC

P.O. Box 110627
Brooklyn, NY, 11211, US
Telephone: (631) 627-1668
Email: hello@getsnoozy.com

Sample : GA30228004-001
Harvest/Lot ID: 23-NMH20-52
Batch# : 23-NMH20-52
Sampled : 02/23/23
Ordered : 02/23/23
Sample Size Received : 22.5 gram
Total Amount : 1 units
Completed : 03/04/23 Expires: 03/04/24
Sample Method : SOP.T.20.010.FL

Page 4 of 5

		Microbial				Mycotoxins				PASSED	
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 3303, 2155, 1649	Weight: 1.1117g	Extraction date: 03/01/23 15:11:04	Extracted by: 3571		
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analyzed by: 3793, 3721, 1649	Weight: 1.06g	Extraction date: 03/01/23 14:11:18	Extracted by: 3793			Analytical Batch : GA056788MIC				Reviewed On : 03/02/23 16:06:21	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Instrument Used : GA-MIC-001 bioMérieux Gene Up RTPCR				Batch Date : 03/01/23 15:37:20	
Analytical Batch : GA056788MIC						Running on : 03/01/23 17:12:25					
Instrument Used : GA-MIC-001 bioMérieux Gene Up RTPCR						Dilution : 10					
Running on : 03/02/23 16:02:54						Reagent : 022123.R15; 011122.06; 020123.R95; 020123.R99					
Dilution : 10						Consumables : GA-210; 947.109; 21/05/14; 9291.271; LLS-00-0005; 89012-780; 296055173; 213605					
Reagent : 121222.01; 100622.17; 051922.07; 031922.R05						Pipette : GA-003					
Consumables : 212823; 2062060; 30521042; M-0011-95C; 210718-598-D; 1009451170; SSC09; ASP156; BDG200104; 8LCJ0511R						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : GA-020; GA-021; GA-140											
Analyzed by: 3793, 3721, 3303, 1649	Weight: 1.06g	Extraction date: N/A	Extracted by: 3793,3721								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : GA056789TYM											
Instrument Used : GA-TYM-001 bioMérieux Tempo Filler and Reader											
Running on : 03/01/23 14:10:43											
Dilution : 90											
Reagent : 032822.01											
Consumables : 2312140; 2308020; 2062060; GA-186											
Pipette : GA-020											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

Heavy Metals

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5

Analyzed by: 3303, 2507, 1649	Weight: 0.4727g	Extraction date: 03/01/23 13:44:15	Extracted by: 3575,3303
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL			
Analytical Batch : GA056781HEA			
Instrument Used : GA-ICPMS-002			

Dilution : 100			
Reagent : 021423.R28; 021423.R29; 010421.44; 071522.04; 011523.R02; 011523.R01; 110122.R06; 011523.R04; 011523.R03			
Consumables : 212823; CGR0114; 12543-226CD-226C			
Pipette : GA-012; GA-196; GA-194; GA-195; GA-193; GA-201			

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Revision: #1 This revision supersedes any and all previous versions of this document.

Miranda
MacDonald
Lab Director

State License # CMTL-0001
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature

03/04/23

Signed On



Certificate of Analysis

PASSED

Snoozy LLC

 P.O. Box 110627
 Brooklyn, NY, 11211, US
 Telephone: (631) 627-1668
 Email: hello@getsnoozy.com

 Sample : GA30228004-001
 Harvest/Lot ID: 23-NMH20-52
 Batch# : 23-NMH20-52
 Sampled : 02/23/23
 Ordered : 02/23/23

 Sample Size Received : 22.5 gram
 Total Amount : 1 units
 Completed : 03/04/23 Expires: 03/04/24
 Sample Method : SOP.T.20.010.FL

Page 5 of 5

**Filth/Foreign
Material**
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by: 3655, 3571, 1649 Weight: 41.8524g Extraction date: 03/01/23 10:41:24 Extracted by: 3655

Analysis Method : SOP.T.40.090

Analytical Batch : GA056779FIL

Instrument Used : GA-Filth/Foreign Material Microscope

Running on : N/A

Reviewed On : 03/01/23 18:23:24

Batch Date : 03/01/23 10:32:50

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Miranda
MacDonald**
 Lab Director

 State License # CMTL-0001
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

03/04/23

Signed On

Signature