

PharmLabs San Diego Certificate of Analysis



Sample **Astro8 - THCP - 10CT - Wedding Nebula**

Delta9 THC 0.05% THCa 0.19% Total THC (THCa * 0.877 + THC) 0.22% Delta8 THC ND

Sample ID SD250414-017 (110224) Matrix Flower
 Tested for AB Industries
 Sampled - Received Apr 14, 2025
 Analyses executed MICK, FP-1020 Reported May 30, 2025

Laboratory note: COA Update 5/30/25 - Sample name updated as per client request.

CANx - Cannabinoids

Analyzed Apr 09, 2024 | Instrument HPLC-VWD | Method SOP-001
 The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.87% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
11-Hydroxy-Δ ⁸ -Tetrahydrocannabinol (11-Hyd-Δ ⁸ -THCV)	0.015	0.041	ND	ND
Cannabidiol (CBDO)	0.006	0.02	ND	ND
Abnormal Cannabidiol (a-CBDO)	0.015	0.058	ND	ND
(+/-)-9 ^s -Hydroxy-Hexahydrocannabinol (9s-HHC)	0.015	0.045	ND	ND
11-Hydroxy-Δ ⁸ -Tetrahydrocannabinol (11-Hyd-Δ ⁸ -THC)	0.015	0.045	ND	ND
Cannabidiolic Acid (CBDA)	0.033	0.16	0.07	0.70
Cannabigerol Acid (CBGA)	0.033	0.16	1.00	10.04
Cannabigerol (CBG)	0.048	0.16	0.14	1.42
Cannabidiol (CBD)	0.069	0.229	0.02	0.21
1(5)-Tetrahydrocannabinol (1(5)-H4-CBD)	0.008	0.026	ND	ND
1(7)-Tetrahydrocannabinol (1(7)-H4-CBD)	0.016	0.049	ND	ND
Tetrahydrocannabinol (THCV)	0.049	0.362	ND	ND
Δ ⁸ -Tetrahydrocannabinol (Δ ⁸ -THCV)	0.012	0.056	ND	ND
Cannabihexol (CBDH)	0.014	0.042	ND	ND
Tetrahydrocannabinol (Δ ⁹ -THCB)	0.01	0.029	ND	ND
Cannabinol (CBN)	0.047	0.16	<LOQ	<LOQ
Cannabiphoral (CBDP)	0.016	0.049	ND	ND
exo-THC (exo-THC)	0.016	0.8	ND	ND
Tetrahydrocannabinol (Δ ⁹ -THC)	0.092	0.307	0.05	0.49
Δ ⁸ -Tetrahydrocannabinol (Δ ⁸ -THC)	0.044	0.16	ND	ND
(6aR,9S)-Δ ¹⁰ -Tetrahydrocannabinol ((6aR,9S)-Δ ¹⁰)	0.015	0.8	ND	ND
Hexahydrocannabinol (S isomer) (9s-HHC)	0.017	0.8	1.56	15.60
(6aR,9R)-Δ ¹⁰ -Tetrahydrocannabinol ((6aR,9R)-Δ ¹⁰)	0.007	0.8	ND	ND
Hexahydrocannabinol (R isomer) (9r-HHC)	0.016	0.8	4.44	44.35
Tetrahydrocannabinolic Acid (THCA)	0.017	0.389	0.19	1.94
Δ ⁹ -Tetrahydrocannabinol (Δ ⁹ -THC)	0.02	0.061	ND	ND
Cannabinol Acetate (CBNO)	0.009	0.027	ND	ND
9(5)-Hexahydrocannabinolic Acid (9(5)-HHCA)	0.063	0.065	ND	ND
9(7)-Hexahydrocannabinolic Acid (9(7)-HHCA)	0.091	0.096	ND	ND
Δ ⁹ -Tetrahydrocannabiphoral (Δ ⁹ -THCP)	0.017	0.8	0.52	5.18
Δ ⁸ -Tetrahydrocannabiphoral (Δ ⁸ -THCP)	0.041	0.8	ND	ND
Cannabidrol (CBT)	0.005	0.16	ND	ND
Δ ⁸ -THC-O-acetate (Δ ⁸ -THCO)	0.076	0.8	ND	ND
9(5)-HHCP (s-HHCP)	0.015	0.041	ND	ND
Δ ⁹ -THC-O-acetate (Δ ⁹ -THCO)	0.066	0.8	ND	ND
9(7)-HHCP (r-HHCP)	0.015	0.045	ND	ND
9(5)-HHC-O-acetate (s-HHCO)	0.037	0.112	ND	ND
9(7)-HHC-O-acetate (r-HHCO)	0.051	0.093	ND	ND
3-octyl-Δ ⁸ -Tetrahydrocannabinol (Δ ⁸ -THC-C8)	0.021	0.062	ND	ND
Total THC (THCa * 0.877 + Δ ⁹ THC)			0.22	2.39
Total THC + Δ ⁸ THC + Δ ¹⁰ THC (THCa * 0.877 + Δ ⁹ THC + Δ ⁸ THC + Δ ¹⁰ THC)			0.22	2.39
Total CBD (CBDA * 0.877 + CBD)			0.08	0.82
Total CBG (CBGA * 0.877 + CBG)			1.02	10.25
Total HHC (9s-HHC + 9r-HHC)			6.00	59.95
Total Cannabinoids Analyzed			7.84	78.37

*Dry Weight %

HME - Heavy Metals

Analyzed Apr 30, 2025 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	0.01	0.2
Cadmium (Cd)	0.0005	0.0015	0.01	0.2
Mercury (Hg)	0.0058	0.0174	ND	0.2
Lead (Pb)	0.0006	0.0018	0.01	0.2

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULCL Above upper limit of brevity
 CPU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



CLC license: CB-000008-LIC
 DEA license: RPO015045
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Branden Stahl

Branden Stahl, Quality Assurance Manager
 P/L 30 May 2025 19:59:31 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



This report shall only be released under the control of the issuing laboratory. This report is for informational purposes only and does not constitute a guarantee of accuracy. The results of this analysis are based on the sample provided and are not intended to be used for any other purpose. Measurement of uncertainty is available upon request.

MIBIG - Microbial

Analyzed Apr 14, 2025 | Instrument qPCR and/or Plating | Method SOP-007

Analyte	LOD CFU/g	LOQ CFU/g	Result CFU/g	Limit CFU/g
Shiga toxin-producing Escherichia Coli	1.0	1.0	Negative	1
Salmonella spp.	1.0	1.0	ND	N/A
Aspergillus fumigatus	1.0	1.0	ND	1
Aspergillus flavus	1.0	1.0	ND	1
Aspergillus niger	1.0	1.0	ND	1
Aspergillus terreus	1.0	1.0	ND	1

MTO - Mycotoxin

Analyzed Apr 18, 2025 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	20
Aflatoxin B2	2.5	5.0	ND	20	Aflatoxin G1	2.5	5.0	ND	20
Aflatoxin G2	2.5	5.0	ND	20	Total Aflatoxins	10.0	20.0	ND	20

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DCC license: CB-0000098-LIC
 DEA license: RP0615043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Stahl

Brandon Stahl, Quality Assurance Manager
 P/L 30 May 2025 15:29:31 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



This report and data are provided as a service of the laboratory. The user is responsible for ensuring the data is used for the intended purpose. PharmLabs is not responsible for any errors or omissions. The user is responsible for ensuring the data is used for the intended purpose. PharmLabs is not responsible for any errors or omissions. The user is responsible for ensuring the data is used for the intended purpose. PharmLabs is not responsible for any errors or omissions.

PES - Pesticides

Analyzed Apr 22, 2025 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND	0.02	Carbofuran	0.01	0.02	ND	0.02
Dimethoate	0.01	0.02	ND	0.02	Etofenprox	0.02	0.1	ND	0.1
Phenoxycarb	0.01	0.02	ND	0.02	Thiochlorpyrid	0.01	0.02	ND	0.02
Daminozide	0.01	0.05	ND	0.05	Dichlorvos	0.02	0.07	ND	0.07
Imazalil	0.02	0.07	ND	0.07	Methiocarb	0.01	0.02	ND	0.02
Spiraxamine	0.01	0.02	ND	0.02	Cosmaphos	0.01	0.02	ND	0.02
Flpronil	0.01	0.1	ND	0.1	Paclbutrazol	0.01	0.05	ND	0.05
Chlorpyrifos	0.01	0.04	ND	0.04	Ethoprophos (Prophos)	0.01	0.02	ND	0.02
Bagonn (Propoxur)	0.01	0.02	ND	0.02	Chloridone	0.04	0.1	ND	0.1
Chlorfenvinpyr	0.05	0.1	ND	0.1	Methyl Parathion	0.02	0.1	ND	0.1
Hexinphos	0.05	0.08	ND	0.08	Abamectin	0.05	0.08	ND	0.08
Acephate	0.02	0.05	ND	0.05	Acetamiprid	0.01	0.05	ND	0.05
Azoxystrobin	0.01	0.02	ND	0.02	Bifenazate	0.01	0.05	ND	0.05
Bifenthrin	0.02	0.35	ND	0.1	Boscalid	0.01	0.05	ND	0.05
Carbaryl	0.01	0.02	ND	0.02	Chlorantraniliprole	0.01	0.04	ND	0.04
Clofentazate	0.01	0.05	ND	0.05	Diazinon	0.01	0.02	ND	0.02
Dimethomorph	0.02	0.06	ND	0.06	Etoazate	0.01	0.05	ND	0.05
Fenpyroximate	0.02	0.1	ND	0.1	Flonicamid	0.01	0.02	ND	0.02
Fludoxonil	0.01	0.05	ND	0.05	Hexythiazox	0.01	0.05	ND	0.05
Imidacloprid	0.01	0.05	ND	0.05	Kresoxim-methyl	0.01	0.05	ND	0.05
Malathion	0.01	0.05	ND	0.05	Metolaxyl	0.01	0.02	ND	0.02
Methomyl	0.02	0.05	ND	0.05	Nyctotanolil	0.02	0.07	ND	0.07
Noled	0.01	0.02	ND	0.02	Oxamyl	0.01	0.02	ND	0.02
Permethrin	0.01	0.02	ND	0.02	Phosmet	0.01	0.02	ND	0.02
Piperonyl Butoxide	0.02	0.06	ND	0.06	Propiconazole	0.05	0.08	ND	0.08
Prallethrin	0.02	0.05	ND	0.05	Pyrethrin	0.05	0.41	ND	0.1
Pyridaben	0.02	0.07	ND	0.07	Spinosad A	0.01	0.05	ND	0.05
Spinosad D	0.01	0.05	ND	0.05	Spiromesifen	0.02	0.06	ND	0.06
Spirotetramat	0.01	0.02	ND	0.02	Tebuconazole	0.01	0.02	ND	0.02
Thiamethoxam	0.01	0.02	ND	0.02	Triflurothrin	0.01	0.02	ND	0.02
Acequinocyl	0.02	0.09	ND	0.09	Captan	0.01	0.02	ND	0.02
Cypermethrin	0.02	0.1	ND	0.1	Cyfluthrin	0.04	0.1	ND	0.1
Fenhexamid	0.02	0.07	ND	0.07	Spinetoram J.J.	0.02	0.07	ND	0.07
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

RES - Residual Solvents

Analyzed Apr 17, 2025 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.044	0.4	68.4	N/A	Butane (But)	0.02	0.4	55.2	800
Methanol (Meth)	1.176	3.92	717.4	N/A	Ethylene Oxide (EthOx)	0.08	0.4	ND	N/A
Pentane (Pen)	0.024	0.4	ND	N/A	Ethanol (Ethar)	0.048	0.4	<LOQ	5000
Ethyl Ether (EthEt)	0.056	0.4	ND	N/A	Acetone (Acet)	0.044	0.4	116.6	N/A
Isopropanol (2-Pro)	1.16	3.868	<LOQ	N/A	Acetonitrile (Acetonit)	0.888	2.952	<LOQ	N/A
Methylene Chloride (MetCl)	0.04	0.4	ND	N/A	Hexane (Hex)	0.012	0.4	ND	100
Ethyl Acetate (EthAc)	0.052	0.4	ND	N/A	Chloroform (Clo)	0.028	0.4	ND	N/A
Benzene (Ben)	0.012	0.4	ND	N/A	1,2-Dichloroethane (1,2-Dich)	0.024	0.4	ND	N/A
Heptane (Hept)	0.012	0.4	ND	500	Trichloroethylene (TriClEth)	0.072	0.4	ND	N/A
Toluene	0.056	0.4	<LOQ	N/A	Xylene (Xyl)	0.012	0.4	ND	N/A

FVI - Filth & Foreign Material Inspection

Analyzed Apr 16, 2025 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, clinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

MWA - Moisture Content & Water Activity

Analyzed Apr 09, 2025 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Analyte	LOD %	LOQ %	Result	Limit	Analyte	LOD %	LOQ %	Result	Limit
Moisture (H ₂ O)	0.0	0.0	7.1 % H ₂ O	% H ₂ O	Water Activity (WA)	0.05	0.05	0.51 a _w	a _w

MICx - Microbial X

Analyzed Apr 14, 2025 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/G	LOQ CFU/G	Result CFU/G	Limit CFU/G
Total Yeast & Molds (TYM)	1.0	1.0	ND	10000
Listeria (LIS)	1.0	1.0	ND	N/A
Gram Negative Bacteria (BTGN)	1.0	1.0	4	1000
Total Viable Aerobic Bacteria (TVAB)	1.0	1.0	16	100000

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULO Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DCC license: CB-000008-LIC
 DEA license: RPO6150-43
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Stahl

Brandon Stahl, Quality Assurance Manager
 Ph, 30 May 2025 15:29:31 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0896 | ISO/IEC 17025:2017 Acc. 85368

This report and all data contained herein are the property of PharmLabs. This report is for informational purposes only and does not constitute a guarantee of accuracy or reliability. PharmLabs is not responsible for any errors or omissions in this report. The results of this report are based on the information provided to PharmLabs and are subject to change without notice. PharmLabs is not responsible for any errors or omissions in this report. The results of this report are based on the information provided to PharmLabs and are subject to change without notice.

