

## THCA Crumble

Sample ID: 2503AFL0466.2057  
Strain: Sour Diesel  
Matrix: Concentrates & Extracts  
Type: Budger  
Unit Weight: 1 g

Internal Lab ID: ATL-27807  
Received: 03/14/2025  
Completed: 03/25/2025  
Batch#: ACR-001

Client  
**Higher Education**  
Lic. #  
3924 N 29 Ave  
Hollywood, FL 33020



### Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	03/14/2025	Complete
Residual Solvents	03/20/2025	Pass
Microbials	03/17/2025	Pass
Pesticides	03/21/2025	Pass
Heavy Metals	03/24/2025	Pass
Foreign Matter	03/17/2025	Pass

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

### Basic Potency

Complete

**85.92%**

Total THC

**ND**

Total CBD

**97.98%**

Total Cannabinoids

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.01	ND	ND	9S-HHC	0.01	ND	ND
CBDV	0.01	ND	ND	9R-HHC	0.01	ND	ND
CBDa	0.01	ND	ND	Δ9-THCH	0.01	ND	ND
CBGa	0.01	ND	ND	Δ8-THCH	0.01	ND	ND
CBG	0.01	ND	ND	Δ9-THCP	0.01	ND	ND
CBD	0.01	ND	ND	Δ8-THCP	0.01	ND	ND
THCV	0.01	ND	ND	Δ8-THCO	0.01	ND	ND
Δ8-THCV	0.00	ND	ND	Δ9-THCO	0.01	ND	ND
THCVa	0.01	ND	ND	9(S)-HHCP	0.01	ND	ND
CBN	0.01	ND	ND	9(R)-HHCP	0.01	ND	ND
Δ9-THC	0.01	ND	ND	11-Hydroxy-THC	0.01	ND	ND
Δ8-THC	0.01	ND	ND	1(S)-H4-CBD	0.01	ND	ND
(6aR,9S)-d10-THC	0.01	ND	ND	1(R)-H4-CBD	0.03	ND	ND
(6aR,9R)-d10-THC	0.00	ND	ND	Δ9-THCB	0.00	ND	ND
CBC	0.01	ND	ND	Δ8-THCB	0.01	ND	ND
CBCa	0.01	ND	ND	CBDp	0.01	ND	ND
THCa	0.01	97.98	979.8	Total		97.98	979.8

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 03/14/2025

**NT**  
Not Tested

Moisture Content


**NT**  
Not Tested

Water Activity

**Pass**

Foreign Matter



  
Paulo Gonzalez  
Laboratory Director  
03/25/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com  
Lic#

QA Testing

2 of 5

## THCA Crumble

Sample ID: 2503AFL0466.2057	Internal Lab ID: ATL-27807	Client
Strain: Sour Diesel		Higher Education
Matrix: Concentrates & Extracts	Received: 03/14/2025	Lic. #
Type: Budger	Completed: 03/25/2025	
Unit Weight: 1 g	Batch#: ACR-001	3924 N 29 Ave Hollywood, FL 33020

### Pesticides

Pass

Analyte	Limit	Result	Status	Analyte	Limit	Result	Status	
Abamectin	100.0	PPB	ND	Pass	Fludioxonil	100.0	ND	Pass
Acephate	100.0	PPB	ND	Pass	Hexythiazox	100.0	ND	Pass
Acequinocyl	100.0	PPB	ND	Pass	Imazalil	100.0	ND	Pass
Acetamiprid	100.0	PPB	ND	Pass	Imidacloprid	400.0	ND	Pass
Aldicarb	100.0	PPB	ND	Pass	Kresoxim Methyl	100.0	ND	Pass
Azoxystrobin	100.0	PPB	ND	Pass	Malathion	200.0	ND	Pass
Bifenazate	100.0	PPB	ND	Pass	Metalaxyl	100.0	ND	Pass
Bifenthrin	100.0	PPB	ND	Pass	Methiocarb	100.0	ND	Pass
Boscalid	100.0	PPB	ND	Pass	Methomyl	100.0	ND	Pass
Captan	700.0	PPB	ND	Pass	Mevinphos	100.0	ND	Pass
Carbaryl	500.0	PPB	ND	Pass	Myclobutanil	0	ND	Pass
Carbofuran	100.0	PPB	ND	Pass	Naled	250.00	ND	Pass
Chlorantraniliprole	1000	PPB	ND	Pass	Oxamyl	500.0	ND	Pass
Chlordan	100.0	PPB	ND	Pass	Paclobutrazol	100.0	ND	Pass
Chlorfenapyr	100.0	PPB	ND	Pass	Parathion Methyl	100.0	ND	Pass
Chlormequat chloride	1000	PPB	ND	Pass	Pentachloronitrobenzene	150.00	ND	Pass
Chlorpyrifos	100.0	PPB	ND	Pass	Permethrin	100.0	ND	Pass
Clofentezine	200.0	PPB	ND	Pass	Phosmet	100.0	ND	Pass
Coumaphos	100.0	PPB	ND	Pass	Piperonyl Butoxide	3000	ND	Pass
Cyfluthrin	500.0	PPB	ND	Pass	Prallethrin	100.0	ND	Pass
Cypermethrin	500.0	PPB	ND	Pass	Propiconazole	100.0	ND	Pass
Daminozide	100.0	PPB	ND	Pass	Propoxur	100.0	ND	Pass
Diazinon	100.0	PPB	ND	Pass	Pyrethrins	500.0	ND	Pass
Dichlorvos	100.0	PPB	ND	Pass	Pyridaben	200.0	ND	Pass
Dimethoate	100.0	PPB	ND	Pass	Spinetoram	200.0	ND	Pass
Dimethomorph	200.0	PPB	ND	Pass	Spinosad	100.0	ND	Pass
Ethoprophos	100.0	PPB	ND	Pass	Spiromesifen	100.0	ND	Pass
Etofenprox	100.0	PPB	ND	Pass	Spirotetramat	100.0	ND	Pass
Etoxazole	100.0	PPB	ND	Pass	Spiroxamine	100.0	ND	Pass
Fenhexamid	100.0	PPB	ND	Pass	Tebuconazole	100.0	ND	Pass
Fenoxy carb	100.0	PPB	ND	Pass	Thiacloprid	100.0	ND	Pass
Fenpyroximate	100.0	PPB	ND	Pass	Thiamethoxam	500.0	ND	Pass
Fipronil	100.0	PPB	ND	Pass	Trifloxy strobin	100.0	ND	Pass
Flonicamid	100.0	PPB	Pass					

Date Tested: 03/21/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



Paulo Gonzalez  
Laboratory Director  
03/25/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com  
Lic#

QA Testing

3 of 5

## THCA Crumble

Sample ID: 2503AFL0466.2057	Internal Lab ID: ATL-27807	Client <b>Higher Education</b>
Strain: Sour Diesel	Received: 03/14/2025	Lic. #
Matrix: Concentrates & Extracts	Completed: 03/25/2025	
Type: Budger	Batch#: ACR-001	3924 N 29 Ave Hollywood, FL 33020
Unit Weight: 1 g		

### Microbials

Analyte	LOD	Limit	Result	Status
Total Aerobic Count	CFU/g 10	CFU/g	CFU/g ND	NT
Aspergillus (niger, fumigatus, flavus, terreus)	1	1	Not Detected in 1g	Pass
Bile-Tolerant Gram-Negative Bacteria			ND	NT
Shiga toxin-producing E. Coli	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Staphylococcus aureus	10		ND	NT
Total Combined Yeast and Mold	10	100000	ND	Pass

Document ID: ATL-235, Rev 01, Effective Date: 13 May 2022

Date Tested: 03/17/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

### Foreign Matter

Analyte	Limit	Result	Status
Packaging Contaminants	% by weight 0.01	% by weight ND	Pass
Insects	0.01	ND	Pass
Feces	0.005	ND	Pass
Mold	0.01	ND	Pass
FM Other		ND	Pass
Hair	0.01	ND	Pass

Document ID:

Date Tested: 03/17/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

### Heavy Metals

Analyte	LOQ	Limit	Result	Status
Arsenic	µg/g 0.1	µg/g 0.2	µg/g ND	Pass
Cadmium	0.1	0.2	ND	Pass
Lead	0.1	0.5	ND	Pass
Mercury	0.1	0.2	ND	Pass

Date Tested: 03/24/2025

Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



Paulo Gonzalez  
Laboratory Director  
03/25/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com  
Lic#

QA Testing

4 of 5

## THCA Crumble

Sample ID: 2503AFL0466.2057  
Strain: Sour Diesel  
Matrix: Concentrates & Extracts  
Type: Budger  
Unit Weight: 1 g

Internal Lab ID: ATL-27807  
Received: 03/14/2025  
Completed: 03/25/2025  
Batch#: ACR-001

Client  
**Higher Education**  
Lic. #  
3924 N 29 Ave  
Hollywood, FL 33020

### Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status
1,1 Dichloroethene	0.7	8	ND	Pass
Ethylene Dichloride	0.2	2	ND	Pass
1,4-Dioxane			ND	Tested
2-Butanol			ND	Tested
2-Ethoxy-Ethanol			ND	Tested
Acetone	59	750	ND	Pass
Acetonitrile	5	60	ND	Pass
Benzene	0.08	1	ND	Pass
Butanes		5000	ND	Pass
Chloroform	0.2	2	ND	Pass
Cumene			ND	Tested
Cyclohexane			ND	Tested
Ethanol	79	5000	ND	Pass
Ethyl Acetate	20	400	ND	Pass
Ethyl-Benzene			ND	Tested
Ethyl Ether	40	500	ND	Pass
Ethylene Glycol			ND	Tested
Ethylene Oxide	0.4	5	ND	Pass
Heptane	40	5000	ND	Pass
Hexanes	40	250	ND	Pass
Isopropanol		500	ND	Pass
Isopropyl-Acetate			ND	Tested
Methanol	20	250	ND	Pass
Methylene Chloride	10	125	ND	Pass
Pentanes		750	ND	Pass

Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 03/20/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty =  $\pm 25\%$  considered for PASS/FAIL; Test Method ATL-GCM-001



  
Paulo Gonzalez  
Laboratory Director  
03/25/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com  
Lic#

QA Testing

5 of 5

## THCA Crumble

Sample ID: 2503AFL0466.2057      Internal Lab ID: ATL-27807  
Strain: Sour Diesel  
Matrix: Concentrates & Extracts  
Type: Budger  
Unit Weight: 1 g

Received: 03/14/2025  
Completed: 03/25/2025  
Batch#: ACR-001

Client  
**Higher Education**  
Lic. #  
3924 N 29 Ave  
Hollywood, FL 33020

### Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status
Propane	μg/g	μg/g	μg/g	
Tetrahydrofuran	165	5000	ND	Pass
Toluene	12	150	ND	Tested
Trichloroethene	2	25	ND	Pass
Xylenes	12	150	ND	Pass




Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 03/20/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



  
Paulo Gonzalez  
Laboratory Director  
03/25/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com

