



**Brite  
Box  
Labs**  
inc.

# GC/MS ANALYSIS

## ANALYTICAL REPORT

**Brite Box Labs Inc.**  
20756 High Desert Ct Ste 6  
Bend, OR 97701  
(541) 299-2008  
[info@briteboxlabs.com](mailto:info@briteboxlabs.com)  
[Briteboxlabs.com](http://Briteboxlabs.com)

Client: Ferris Wheel

Batch Number: APLS627



Work Order: BB290

Job: NA

Report Date: June 21, 2026

Project: NA

Sample Count: 1

Sample ID: Description: **Ferris Wheel - Gummies - Sour Apple 10ct**

Date Analyzed: 6/20/2026

Analyst: BF

The sample was run in scan mode on a GC/MS scanning from 35-500m/z. Any peaks found were tentatively identified by matching the mass spectra against the NIST 11, containing over 200,000 compounds and the SWGDRUG mass spectra databases, which incorporates over 3800 illicit and recreational drugs. The following two compounds were tentatively identified:

| Name                 | Type                       |
|----------------------|----------------------------|
| Caffeine             | Stimulant                  |
| Glycerol triacrylate | Triglyceride coating agent |

### Chromatogram:



Technical Director

### Note:

- \*For Research, Forensic, and Harm Reduction Purposes
- \*Extracts are prepared in concentrations within DEA exemption limits
- \*Samples are immediately rendered unusable upon completion of assay

Certificate of Analysis

Produced: Jul 09, 2026

Sample: Ferris Wheel - Gummies - Sour Apple - 10ct (Edible Solid) • Client: TRE House • Batch: Pass



Batch No.: APLS627  
Matrix: Edible Solid  
Sample ID: ICC-260707-14-003  
Collected on: Jul 07, 2026  
Received on: Jul 07, 2026  
Batch Size:  
Sample Size:

Batch Result: Pass

|            |      |
|------------|------|
| Solvents   | Pass |
| Metals     | Pass |
| Microbial  | Pass |
| Mycotoxins | Pass |
| Pesticides | Pass |

infiniteCAL

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Kratom Residual Solvents • Jul 09, 2026

| Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------------|--------------|------------|----------------|-----------|--------------------|--------------|------------|----------------|-----------|
| 1,2-Dichloroethane | 1            | ND         | 0.0652/0.196   | Pass      | Hexane             | 290          | ND         | 3.27/9.81      | Pass      |
| Acetone            | 5000         | ND         | 24.1/72.2      | Pass      | Isopropyl alcohol  | 5000         | ND         | 27.8/83.3      | Pass      |
| Acetonitrile       | 410          | ND         | 4.04/12.1      | Pass      | Methanol           | 3000         | ND         | 22.7/68.0      | Pass      |
| Benzene            | 1            | ND         | 0.0192/0.0577  | Pass      | Methylene chloride | 1            | ND         | 5.10/15.3      | Pass      |
| Butane             | 5000         | ND         | 25.0/74.9      | Pass      | Pentane            | 5000         | ND         | 23.3/70.0      | Pass      |
| Chloroform         | 1            | ND         | 0.664/1.99     | Pass      | Propane            | 5000         | ND         | 18.1/54.3      | Pass      |
| Ethanol            | 5000         | ND         | 20.7/62.2      | Pass      | Toluene            | 890          | ND         | 9.72/29.1      | Pass      |
| Ethyl acetate      | 5000         | ND         | 25.4/76.1      | Pass      | Trichloroethylene  | 1            | ND         | 0.607/1.82     | Pass      |
| Ethylene oxide     | 1            | ND         | 1.20/3.61      | Pass      | o-Xylene           | ND           | ND         | 12.2/36.5      | N/A       |
| Ethyl ether        | 5000         | ND         | 29.7/89.0      | Pass      | p- and m-Xylene    | ND           | ND         | 12.5/37.6      | N/A       |
| Heptane            | 5000         | ND         | 27.4/82.3      | Pass      | Total xylenes      | 2170         | ND         |                | Pass      |

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jul 08, 2026

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail |
|---------|--------------|------------|-----------------|-----------|---------|--------------|------------|-----------------|-----------|
| Arsenic | 1.5          | ND         | 0.00300/0.00900 | Pass      | Lead    | 0.5          | < LOQ      | 0.00100/0.00400 | Pass      |
| Cadmium | 0.5          | ND         | 0.00100/0.00200 | Pass      | Mercury | 3            | ND         | 0.00500/0.0140  | Pass      |



*Signature*

*Signature*

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Jul 09, 2026

| Analyte         | Limit             | Amt | Pass/Fail | Analyte                       | Limit             | Amt | Pass/Fail |
|-----------------|-------------------|-----|-----------|-------------------------------|-------------------|-----|-----------|
| Salmonella spp. | Any amt in 1 gram | ND  | Pass      | Shiga toxin-producing E. coli | Any amt in 1 gram | ND  | Pass      |

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jul 09, 2026

| Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail | Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail |
|--------------|---------------|-------------|-----------------|-----------|--------------|---------------|-------------|-----------------|-----------|
| Aflatoxin B1 |               | ND          | 1.07/3.21       | N/A       | Aflatoxin G2 |               | ND          | 0.727/2.48      | N/A       |
| Aflatoxin B2 |               | ND          | 0.929/2.79      | N/A       | Aflatoxins   | 20            | ND          |                 | Pass      |
| Aflatoxin G1 |               | ND          | 2.35/7.05       | N/A       | Ochratoxin A | 20            | ND          | 3.87/11.7       | Pass      |

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jul 09, 2026

| Analyte      | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Captan       | 5            | ND         | 0.120/0.358    | Pass      | Cypermethrin            | 1            | ND         | 0.0145/0.0435  | Pass      |
| Chlordane    | Any amt      | ND         | 0.0249/0.0747  | Pass      | Methyl parathion        | Any amt      | ND         | 0.00811/0.0243 | Pass      |
| Chlorfenapyr | Any amt      | ND         | 0.0251/0.0753  | Pass      | Pentachloronitrobenzene | 0.2          | ND         | 0.0182/0.0545  | Pass      |
| Cyfluthrin   | 1            | ND         | 0.0186/0.0558  | Pass      |                         |              |            |                |           |

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jul 09, 2026

| Analyte             | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte           | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|---------------------|--------------|------------|----------------|-----------|-------------------|--------------|------------|----------------|-----------|
| Abamectin           | 0.3          | ND         | 0.0500/0.100   | Pass      | Imazalil          | Any amt      | ND         | 0.0156/0.0474  | Pass      |
| Acephate            | 5            | ND         | 0.0164/0.0497  | Pass      | Imidacloprid      | 3            | ND         | 0.0235/0.0711  | Pass      |
| Acequinocyl         | 4            | ND         | 0.0194/0.0587  | Pass      | Kresoxim-methyl   | 1            | ND         | 0.0125/0.0379  | Pass      |
| Acetamiprid         | 5            | ND         | 0.0146/0.0442  | Pass      | Malathion         | 5            | ND         | 0.0117/0.0354  | Pass      |
| Aldicarb            | Any amt      | ND         | 0.0216/0.0654  | Pass      | Metalaxyl         | 15           | ND         | 0.0101/0.0306  | Pass      |
| Azoxystrobin        | 40           | ND         | 0.00960/0.0291 | Pass      | Methiocarb        | Any amt      | ND         | 0.0156/0.0473  | Pass      |
| Bifenazate          | 5            | ND         | 0.0115/0.0349  | Pass      | Methomyl          | 0.1          | ND         | 0.0158/0.0479  | Pass      |
| Bifenthrin          | 0.5          | ND         | 0.0130/0.0395  | Pass      | Mevinphos         | Any amt      | ND         | 0.0139/0.0423  | Pass      |
| Boscalid            | 10           | ND         | 0.0197/0.0596  | Pass      | Myclobutanil      | 9            | ND         | 0.0180/0.0546  | Pass      |
| Carbaryl            | 0.5          | ND         | 0.0160/0.0486  | Pass      | Naled             | 0.5          | ND         | 0.0170/0.0514  | Pass      |
| Carbofuran          | Any amt      | ND         | 0.00902/0.0300 | Pass      | Oxamyl            | 0.2          | ND         | 0.0153/0.0465  | Pass      |
| Chlorantraniliprole | 40           | ND         | 0.0209/0.0632  | Pass      | Paclobutrazol     | Any amt      | ND         | 0.0132/0.0400  | Pass      |
| Chlorpyrifos        | Any amt      | ND         | 0.0176/0.0534  | Pass      | Permethrin        | 20           | ND         | 0.00831/0.0300 | Pass      |
| Clofentezine        | 0.5          | ND         | 0.0129/0.0389  | Pass      | Phosmet           | 0.2          | ND         | 0.0125/0.0377  | Pass      |
| Coumaphos           | Any amt      | ND         | 0.0185/0.0559  | Pass      | Piperonylbutoxide | 8            | ND         | 0.00759/0.0300 | Pass      |
| Daminozide          | Any amt      | ND         | 0.0261/0.0791  | Pass      | Prallethrin       | 0.4          | ND         | 0.0226/0.0685  | Pass      |
| Diazinon            | 0.2          | ND         | 0.00645/0.0300 | Pass      | Propiconazole     | 20           | ND         | 0.0195/0.0590  | Pass      |
| Dichlorvos          | Any amt      | ND         | 0.0223/0.0674  | Pass      | Propoxur          | Any amt      | ND         | 0.0155/0.0471  | Pass      |
| Dimethoate          | Any amt      | ND         | 0.0118/0.0356  | Pass      | Pyrethrins        | 1            | ND         | 0.00431/0.0300 | Pass      |
| Dimethomorph        | 20           | ND         | 0.0137/0.0416  | Pass      | Pyridaben         | 3            | ND         | 0.0115/0.0350  | Pass      |
| Ethoprophos         | Any amt      | ND         | 0.0174/0.0528  | Pass      | Spinetoram        | 3            | ND         | 0.00639/0.0300 | Pass      |
| Etofenprox          | Any amt      | ND         | 0.00849/0.0300 | Pass      | Spinosad          | 3            | ND         | 0.00410/0.0300 | Pass      |
| Etoxazole           | 1.5          | ND         | 0.00783/0.0300 | Pass      | Spiromesifen      | 12           | ND         | 0.0137/0.0416  | Pass      |
| Fenhexamid          | 10           | ND         | 0.0129/0.0392  | Pass      | Spirotetramat     | 13           | ND         | 0.0134/0.0407  | Pass      |
| Fenoxycarb          | Any amt      | ND         | 0.0144/0.0435  | Pass      | Spiroxamine       | Any amt      | ND         | 0.0106/0.0320  | Pass      |
| Fenpyroximate       | 2            | ND         | 0.00972/0.0300 | Pass      | Tebuconazole      | 2            | ND         | 0.0144/0.0437  | Pass      |
| Fipronil            | Any amt      | ND         | 0.0148/0.0447  | Pass      | Thiacloprid       | Any amt      | ND         | 0.0139/0.0421  | Pass      |
| Flonicamid          | 2            | ND         | 0.0268/0.0811  | Pass      | Thiamethoxam      | 4.5          | ND         | 0.0181/0.0549  | Pass      |
| Fludioxonil         | 30           | ND         | 0.0153/0.0464  | Pass      | Trifloxystrobin   | 30           | ND         | 0.0102/0.0310  | Pass      |
| Hexythiazox         | 2            | ND         | 0.0257/0.0778  | Pass      |                   |              |            |                |           |



*[Signature]*

*[Signature]*