

## Universal Hemp Panel

### ANALYZED BY:

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
DEA# PA0202945

### CUSTOMER:

Erth Wellness Inc  
7901 4th St N #8870  
St Petersburg, FL 33702



### SAMPLE INFORMATION

**Sample No.:** 1406393  
**Product Name:** Full Spectrum CBD + THC RELIEF Drops - Passion Fruit - 1500mg Edible (Tincture)  
**Matrix:**  
**Lot #:** 1T110426

**Date Collected:** 04/27/2026  
**Date Received:** 04/28/2026  
**Date Reported:** 05/14/2026

### TEST SUMMARY

|                                  |          |                                 |        |
|----------------------------------|----------|---------------------------------|--------|
| <b>Cannabinoid Profile:</b>      | ✔ Tested | <b>Microbiological Screen:</b>  | ✔ Pass |
| <b>Pesticide Residue Screen:</b> | ✔ Pass   | <b>Residual Solvent Screen:</b> | ✔ Pass |
| <b>Heavy Metal Screen:</b>       | ✔ Pass   | <b>Foreign Material:</b>        | ✔ Pass |
| <b>Mycotoxin Screen:</b>         | ✔ Pass   |                                 |        |

### Customer Comment(s):

The batch was processed in a facility that holds a current and valid permit issued by a human health or food safety regulatory entity with authority over the facility, and that facility meets the human health or food safety sanitization requirements of the regulatory entity.

### Cannabinoid Profile ✔ Tested

04/30/2026

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.0667 mg/g  
**Limit of Quantitation** 0.2000 mg/g

| Cannabinoid                   | mg/g   | %     | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|-------------------------------|--------|-------|-------|------------|------------|--------------------|--------------|
| Δ8-THC                        | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| Δ9-THC                        | 2.20   | 0.220 | 2.10  | 2.10       | 62.88      | 2.5                | 16.16        |
| Δ9-THCA                       | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| THCV                          | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| THCVA                         | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| CBD                           | 49.45  | 4.945 | 47.16 | 47.16      | 1414.69    | 50                 | 5.69         |
| CBDA                          | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| CBC                           | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| CBCA                          | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| CBDV                          | 0.22   | 0.022 | 0.21  | 0.21       | 6.19       | -                  | -            |
| CBG                           | 2.95   | 0.295 | 2.82  | 2.82       | 84.53      | -                  | -            |
| CBGA                          | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| CBN                           | 1.44   | 0.144 | 1.37  | 1.37       | 41.15      | -                  | -            |
| Exo-THC                       | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| (6aR,9R)-Δ10-THC              | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| (6aR,9S)-Δ10-THC              | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| 9(R)-Hexahydrocannabinol      | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| 9(S)-Hexahydrocannabinol      | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| Δ8-THC-O-Acetate              | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| Δ9-THC-O-Acetate              | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| THC-O-Phosphate               | ND     | ND    | ND    | ND         | ND         | -                  | -            |
| Total THC                     | 2.20   | 0.220 | 2.10  | 2.10       | 62.88      | -                  | -            |
| Total CBD                     | 49.45  | 4.945 | 47.16 | 47.16      | 1414.69    | -                  | -            |
| Total Cannabinoids            | 56.25  | 5.625 | 53.65 | 53.65      | 1609.44    | -                  | -            |
| Sum of Cannabinoids           | 56.25  | 5.625 | 53.65 | 53.65      | 1609.44    | -                  | -            |
| <b>Serving Weight (g)</b>     | 0.9537 |       |       |            |            |                    |              |
| <b>Package Weight (g)</b>     | 28.611 |       |       |            |            |                    |              |
| <b>g/ml Conversion Factor</b> | 0.9537 |       |       |            |            |                    |              |

Total THC = Δ9-THC + (0.877 \* THCA)

Total CBD = CBD + (0.877 \* CBDA)

Total Cannabinoids =  $\Sigma$  (neutral cannabinoids) +  $[0.877 * \Sigma$  (acidic cannabinoids)]

**Comment(s):** The result of this sample is confirmed with a retest.

## Microbiological Screen ✔ Pass

05/11/2026

**Measurement of Uncertainty Average:** APC  $\pm 35.6\%$ , Y&M  $\pm 31.3\%$

| Analyte                   | Findings | Units | Method             | Limit  | Status |
|---------------------------|----------|-------|--------------------|--------|--------|
| Salmonella                | ND       | /1g   | AOAC 2016.01       | ND     | Pass   |
| STEC                      | ND       | /1g   | MF-MICRO-18        | ND     | Pass   |
| Aspergillus flavus        | ND       | /1g   | MF-MICRO-14        | ND     | Pass   |
| Aspergillus fumigatus     | ND       | /1g   | MF-MICRO-14        | ND     | Pass   |
| Aspergillus niger         | ND       | /1g   | MF-MICRO-14        | ND     | Pass   |
| Aspergillus terreus       | ND       | /1g   | MF-MICRO-14        | ND     | Pass   |
| Listeria Species          | ND       | /1g   | AOAC 2016.07       | ND     | Pass   |
| Total Aerobic Plate Count | <10      | cfu/g | FDA BAM            | 100000 | Pass   |
| Total Coliforms           | <10      | cfu/g | FDA BAM - ECC Agar | 100    | Pass   |
| E. Coli                   | ND       | /1g   | FDA BAM Modified   | ND     | Pass   |
| Total Enterobacteriaceae  | <10      | cfu/g | AOAC 2003.01       | ND     | Pass   |
| Staphylococcus aureus     | <10      | cfu/g | AOAC 2003.07       | ND     | Pass   |
| Total Yeast and Mold      | <10      | cfu/g | FDA BAM            | 10000  | Pass   |

## Pesticide Residue Screen ✔ Pass

05/11/2026

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty Average:**  $\pm 21.40\%$

| Analyte             | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---------------------|---------------|----------------|-------------|--------|
| Abamectin           | 0.015/0.05    | ND             | 0.05        | Pass   |
| Acephate            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Acequinocyl         | 0.003/0.01    | ND             | 0.01        | Pass   |
| Acetamiprid         | 0.003/0.01    | ND             | 0.01        | Pass   |
| Aldicarb            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Azoxystrobin        | 0.003/0.01    | ND             | 0.01        | Pass   |
| Bifenazate          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Bifenthrin          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Boscalid            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Captan              | 0.250/0.7     | ND             | 0.7         | Pass   |
| Carbaryl            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Carbofuran          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Chlorantraniliprole | 0.003/0.01    | ND             | 0.01        | Pass   |
| Chlordane           | 0.020/0.06    | ND             | 0.06        | Pass   |
| Chlorfenapyr        | 0.015/0.05    | ND             | 0.05        | Pass   |
| Chlorpyrifos        | 0.003/0.01    | ND             | 0.01        | Pass   |
| Clofentezine        | 0.003/0.01    | ND             | 0.01        | Pass   |
| Coumaphos           | 0.003/0.01    | ND             | 0.01        | Pass   |
| Cyfluthrin          | 0.015/0.05    | ND             | 0.05        | Pass   |
| Cypermethrin        | 0.015/0.05    | ND             | 0.05        | Pass   |
| Daminozide          | 0.003/0.01    | ND             | 0.01        | Pass   |
| DDVP (Dichlorvos)   | 0.003/0.01    | ND             | 0.01        | Pass   |
| Diazinon            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Dimethoate          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Dimethomorph        | 0.003/0.01    | ND             | 0.01        | Pass   |
| Ethoprop(hos)       | 0.003/0.01    | ND             | 0.01        | Pass   |
| Etofenprox          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Etoxazole           | 0.003/0.01    | ND             | 0.01        | Pass   |
| Fenhexamid          | 0.007/0.02    | ND             | 0.02        | Pass   |
| Fenoxycarb          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Fenpyroximate       | 0.007/0.02    | ND             | 0.02        | Pass   |
| Fipronil            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Flonicamid          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Fludioxonil         | 0.003/0.01    | ND             | 0.01        | Pass   |
| Hexythiazox         | 0.003/0.01    | ND             | 0.01        | Pass   |
| Imazalil            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Imidacloprid        | 0.003/0.01    | ND             | 0.01        | Pass   |
| Kresoxim Methyl     | 0.003/0.01    | ND             | 0.01        | Pass   |
| Malathion           | 0.003/0.01    | ND             | 0.01        | Pass   |
| Metalaxyl           | 0.003/0.01    | ND             | 0.01        | Pass   |

| Analyte                 | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-------------------------|---------------|----------------|-------------|--------|
| Methiocarb              | 0.003/0.01    | ND             | 0.01        | Pass   |
| Methomyl                | 0.003/0.01    | ND             | 0.01        | Pass   |
| Methyl parathion        | 0.003/0.01    | ND             | 0.01        | Pass   |
| Mevinphos               | 0.007/0.02    | ND             | 0.02        | Pass   |
| Myclobutanil            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Naled                   | 0.003/0.01    | ND             | 0.01        | Pass   |
| Oxamyl                  | 0.003/0.01    | ND             | 0.01        | Pass   |
| Paclbutrazol            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Pentachloronitrobenzene | 0.003/0.01    | ND             | 0.01        | Pass   |
| Permethrins             | 0.015/0.05    | ND             | 0.05        | Pass   |
| Phosmet                 | 0.003/0.01    | ND             | 0.01        | Pass   |
| Piperonyl Butoxide      | 0.003/0.01    | ND             | 0.01        | Pass   |
| Prallethrin             | 0.015/0.05    | ND             | 0.05        | Pass   |
| Propiconazole           | 0.003/0.01    | ND             | 0.01        | Pass   |
| Propoxur                | 0.003/0.01    | ND             | 0.01        | Pass   |
| Pyrethrins              | 0.015/0.05    | ND             | 0.05        | Pass   |
| Pyridaben               | 0.003/0.01    | ND             | 0.01        | Pass   |
| Spinetoram              | 0.003/0.01    | ND             | 0.01        | Pass   |
| Spinosad                | 0.003/0.01    | ND             | 0.01        | Pass   |
| Spiromesifen            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Spirotetramat           | 0.003/0.01    | ND             | 0.01        | Pass   |
| Spiroxamine             | 0.003/0.01    | ND             | 0.01        | Pass   |
| Tebuconazole            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Thiacloprid             | 0.003/0.01    | ND             | 0.01        | Pass   |
| Thiamethoxam            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Trifloxystrobin         | 0.003/0.01    | ND             | 0.01        | Pass   |
| Azadirachtin            | 0.100/0.30    | ND             | 0.3         | Pass   |
| Chlormequat Chloride    | 0.03/0.10     | ND             | 0.1         | Pass   |
| MGK 264                 | 0.03/0.10     | ND             | 0.1         | Pass   |

## Residual Solvent Screen ✓ Pass

05/14/2026

**Method:** MF-CHEM-32

**Measurement of Uncertainty Average:** ±1.43%

| Analyte            | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g)   | Status             |
|--------------------|----------------|-----------------|----------------|--------------------|
| Propane            | 67/200         | ND              | 210            | Pass               |
| (+/-)-2-Butanol    | 13.3/40        | ND              | 5000           | Pass               |
| 1,1-Dichloroethene | 2/4            | ND              | 8              | Pass               |
| 1,2-Dichloroethane | 0.2/0.5        | ND              | 5              | Pass               |
| 1,4-Dioxane        | 13.3/40        | ND              | 30             | Pass               |
| 2-Ethoxyethanol    | 13.3/40        | ND              | 160            | Pass               |
| Acetone            | 67/200         | ND              | 500            | Pass               |
| Acetonitrile       | 67/200         | ND              | 410            | Pass               |
| Benzene            | 0.2/0.5        | ND              | 1              | Pass               |
| Chloroform         | 0.2/0.5        | ND              | 2              | Pass               |
| Cumene             | 13.3/40        | ND              | 70             | Pass               |
| Cyclohexane        | 13.3/40        | ND              | 3880           | Pass               |
| Ethanol            | 67/200         | ND              | Not Applicable | Pass               |
| Ethyl acetate      | 67/200         | ND              | 1000           | Pass               |
| Ethyl ether        | 67/200         | ND              | 5000           | Pass               |
| Ethylene Glycol    | 13.3/40        | ND              | 620            | Pass               |
| Ethylene oxide     | 0.2/0.5        | ND              | 5              | Pass               |
| n-Heptane          | 67/200         | ND              | 500            | Pass               |
| Isopropyl Acetate  | 13.3/40        | ND              | 5000           | Pass               |
| Isopropyl alcohol  | 67/200         | ND              | 500            | Pass               |
| Methanol           | 67/200         | ND              | 500            | Pass               |
| Methylene chloride | 0.2/0.5        | ND              | 600            | Pass               |
| Toluene            | 67/200         | ND              | 53             | Pass               |
| Tetrahydrofuran    | 13.3/40        | ND              | 720            | Pass               |
| Trichloroethene    | 13.3/40        | ND              | 80             | Pass               |
| Isobutane          | 6.7/20         | ND              | -              | See Total Butanes  |
| n-Butane           | 67/200         | ND              | -              | See Total Butanes  |
| Total Butanes      | 6.7/40         | ND              | 500            | Pass               |
| 2,2-Dimethylbutane | 2.7/8          | ND              | -              | See Total Hexanes  |
| 2,3-Dimethylbutane | 2.7/8          | ND              | -              | See Total Hexanes  |
| 2-Methylpentane    | 2.7/8          | ND              | -              | Pass               |
| 3-Methylpentane    | 2.7/8          | ND              | -              | Pass               |
| n-Hexane           | 67/200         | ND              | -              | See Total Hexanes  |
| Total Hexanes      | 2.7/8          | ND              | 18             | Pass               |
| 2 Methylbutane     | 4.4/13.34      | ND              | -              | See Total Pentanes |
| Neopentane         | 4.4/13.34      | ND              | -              | See Total Pentanes |
| n-Pentane          | 67/200         | ND              | -              | See Total Pentanes |
| Total Pentanes     | 4.4/13.34      | ND              | 500            | Pass               |
| Ethylbenzene       | 3.3/10         | ND              | -              | See Total Xylenes  |
| m+p-Xylene         | 6.7/20         | ND              | -              | See Total Xylenes  |
| o-Xylene           | 3.3/10         | ND              | -              | See Total Xylenes  |
| Total Xylenes      | 67/200         | ND              | 217            | Pass               |

## Heavy Metal Screen ✓ Pass

05/11/2026

**Method:** MF-CHEM-16

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

**Measurement of Uncertainty Average:** ±4.4%

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit | Status |
|---------|------------------|-----------------|-------|--------|
| Arsenic | 0.033/0.101      | ND              | 0.2   | Pass   |
| Cadmium | 0.047/0.141      | ND              | 0.2   | Pass   |
| Mercury | 0.014/0.05       | ND              | 0.1   | Pass   |
| Lead    | 0.107/0.324      | ND              | 0.5   | Pass   |

## Foreign Material ✓ Pass

05/11/2026

**Method:** MF-CHEM-7

| Analyte                        | Findings | Limit    | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |
| Mold                           | ND       | 25%      | Pass   |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |
| Insect Fragment                | ND       | 1 per 3g | Pass   |
| Hair                           | ND       | 1 per 3g | Pass   |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |

## Mycotoxin Screen ✔ Pass

05/11/2026

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty (MU):** ±20.21%

| Analyte          | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|------------------|---------------|----------------|-------------|--------|
| Aflatoxin B1     | 2/5           | ND             | 5           | Pass   |
| Aflatoxin B2     | 2/5           | ND             | 20          | Pass   |
| Aflatoxin G1     | 2/5           | ND             | 20          | Pass   |
| Aflatoxin G2     | 2/5           | ND             | 20          | Pass   |
| Total Aflatoxins | 8/20          | ND             | 20          | Pass   |
| Ochratoxin A     | 2/5           | ND             | 5           | Pass   |

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

Reported by



Vu Lam  
Lab Co Director



Scan to verify