Certificate of Analysis

Produced: Apr 14, 2026

Sample: CBD FX - Pet Treats - Hard Chew - Skin & Coat 600mg (Edible Solid) • **Client**: CBDfx • **Batch**: Pass



Batch No.: 012126
Matrix: Edible Solid
Sample ID: ICC-260303-29-008
Collected on: Mar 03, 2026
Received on: Mar 03, 2026
Batch Size:
Sample Size: 1 Units
Package Size: 314.47 g
Serving Size: 10.48 g

Batch Result: Pass

Potency	Tested	**Mycotoxins**	Pass
Solvents	Pass	**Pesticides**	Pass
Metals	Pass	**Foreign**	Pass
Microbial	Pass	**Water Activity**	Pass

Cannabinoid Overview

Δ^9-THC:	**0.000 mg/srv**
CBD:	**21.0 mg/srv**
Total Cannabinoids:	**22.1 mg/srv**
Sum of Cannabinoids:	**22.1 mg/srv**

POT-INST-005: POT-INST-005: Potency • Mar 05, 2026 10:50:00 PST

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBC			ND	ND	0.0278/0.0833	N/A
CBD	21.0	629	0.200	2.00	0.00849/0.0421	N/A
CBDA			ND	ND	0.0203/0.0609	N/A
CBDV			< 1 mg/g	< LOQ	0.00673/0.0421	N/A
CBG	1.12	33.6	0.0107	0.107	0.00959/0.0421	N/A
CBGA			ND	ND	0.0150/0.0449	N/A
CBL			ND	ND	0.00662/0.0421	N/A
CBN			ND	ND	0.00959/0.0421	N/A

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBT			ND	ND	0.0120/0.0421	N/A
Δ^8-THC			ND	ND	0.00681/0.0421	N/A
Δ^9-THC			ND	ND	0.0112/0.0421	N/A
THCA			ND	ND	0.0154/0.0463	N/A
THCV			ND	ND	0.00520/0.0421	N/A
Total THC**			ND	ND		N/A
Total CBD**	21.0	629	0.200	2.00		N/A
Total Cannabinoids**	22.1	663	0.211	2.11		N/A

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)
** Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)
** Total CBD = CBD + (CBDA x 0.877)
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope* *Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

https://lims.tagleaf.com/coa_/eTVicTq9v4

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Apr 14, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Apr 14, 2026

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Apr 13, 2026 16:59:00 PDT

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.137/0.418	Pass
Acetone	5000	ND	14.0/42.1	Pass
Acetonitrile	410	ND	0.0986/0.295	Pass
Benzene	1	ND	0.0173/0.0525	Pass
Butane	5000	ND	0.798/3.99	Pass
Chloroform	1	ND	0.0296/0.0888	Pass
Ethanol	5000	ND	2.15/6.45	Pass
Ethyl acetate	5000	ND	0.257/1.88	Pass
Ethylene oxide	1	ND	0.126/0.476	Pass
Ethyl ether	5000	ND	0.972/2.92	Pass
Heptane	5000	ND	0.565/2.35	Pass
Hexane	290	ND	0.0542/0.231	Pass
Isopropyl alcohol	5000	ND	1.05/3.16	Pass
Methanol	3000	ND	2.44/7.33	Pass
Methylene chloride	1	ND	0.104/0.599	Pass
Pentane	5000	ND	0.791/3.51	Pass
Propane	5000	ND	3.64/10.9	Pass
Toluene	890	ND	0.0723/0.710	Pass
Trichloroethylene	1	ND	0.0148/0.119	Pass
o-Xylene		ND	0.0828/0.704	N/A
p- and m-Xylene		ND	0.0948/1.41	N/A
Total xylenes	2170	ND	0.0828/0.705	Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Apr 10, 2026 15:19:00 PDT

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	0.0114	0.00300/0.00900	Pass
Cadmium	0.5	0.0660	0.00100/0.00200	Pass
Lead	0.5	0.0194	0.00100/0.00400	Pass
Mercury	3	ND	0.00500/0.0140	Pass

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Apr 13, 2026 18:29:00 PDT

Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass
Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Apr 14, 2026 13:31:00 PDT

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.60/7.88	N/A
Aflatoxin B2		ND	2.04/6.18	N/A
Aflatoxin G1		ND	2.97/8.99	N/A
Aflatoxin G2		ND	1.89/5.72	N/A
Aflatoxins	20	ND		Pass
Ochratoxin A	20	ND	3.87/11.7	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Apr 14, 2026 15:45:00 PDT

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass
Cypermethrin	1	ND	0.0145/0.0435	Pass
Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Apr 14, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Apr 14, 2026

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Apr 14, 2026 13:32:00 PDT

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass
Acephate	5	ND	0.0164/0.0497	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass
Boscalid	10	ND	0.0197/0.0596	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Imazalil	Any amt	ND	0.0156/0.0474	Pass
Imidacloprid	3	ND	0.0235/0.0711	Pass
Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Malathion	5	ND	0.0117/0.0354	Pass
Metalaxyl	15	ND	0.0101/0.0306	Pass
Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Methomyl	0.1	ND	0.0158/0.0479	Pass
Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Myclobutanil	9	ND	0.0180/0.0546	Pass
Naled	0.5	ND	0.0170/0.0514	Pass
Oxamyl	0.2	ND	0.0153/0.0465	Pass
Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Permethrin	20	ND	0.00831/0.0300	Pass
Phosmet	0.2	ND	0.0125/0.0377	Pass
Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Prallethrin	0.4	ND	0.0226/0.0685	Pass
Propiconazole	20	ND	0.0195/0.0590	Pass
Propoxur	Any amt	ND	0.0155/0.0471	Pass
Pyrethrins	1	ND	0.00431/0.0300	Pass
Pyridaben	3	ND	0.0115/0.0350	Pass
Spinetoram	3	ND	0.00639/0.0300	Pass
Spinosad	3	ND	0.00410/0.0300	Pass
Spiromesifen	12	ND	0.0137/0.0416	Pass
Spirotetramat	13	ND	0.0134/0.0407	Pass
Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Tebuconazole	2	ND	0.0144/0.0437	Pass
Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Trifloxystrobin	30	ND	0.0102/0.0310	Pass

Water Activity by Water Activity Meter • Apr 10, 2026 08:11:00 PDT

Analyte	Limit (Aw)	Amt (Aw)	Pass/Fail
Water Activity	0.85	0.585	Pass

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Apr 14, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Apr 14, 2026